PLANETA

Hoists and winches since 1861

Price list Hoists and Winches valid from 01/04/2026

PRO-LIFT SOLUTIONS

Contents

03
08

HAND LIFTING EQUIPMENT
TROLLEYS
CLAMPS

Lever hoists
Manual chain hoist
Grip puller
Beam clamp
Trolley
Combination trolleys
Lifting trolley
Wheels for PRO-Trolley
Rope pulley

08
10

ATEX-LIFTING EQUIPMENT

ATEX-Manual chain hoist
ATEX-Lever hoist
ATEX-Trolleys
ATEX-Combined trolleys

10
13

AIR HOISTS

Air chain hoists
Air rope hoists
Air supply

14
19

ELECTRIC CHAIN HOIST

Electric chain hoists
Rolling and electric trolleys
Electric chain hoist accessories
Power supply
Electric rope hoist

19
23

ROPE WINCHES

Electric rope winches
Compact electric rope winch
Rope pulley bloc
Rope winch accessories
PLANETA Control engineering
Manual rope winch

All prices are subject to VAT at the current rate of 19%.

Note: PLANETA is constantly striving to improve its products and optimize the program. Great care has been taken to ensure the accuracy of the technical technical information in this price list. However, the information does not constitute a basis for warranty claims or contractual agreements regarding the products described, regardless of whether this is expressly stated or implied. For all warranty, sales, delivery and other contractual conditions, only the terms and conditions of PLANETA-Hebetechnik GmbH apply. Specifications and products are subject to change without prior notice

© 2026 by PLANETA® – Form 26.04/HPD

PRO-LIFT SOLUTIONS



Lever hoist PREMIUM PRO



Lever hoist PLX-III



Lever hoist PAH



Manual chain hoist PREMIUM PRO-II

Lever hoist PREMIUM PRO ...		0.8	1.6	3.2	5	6.4	9.6
Capacity	kg	800	1,600	3,200	5,000	6,400	9,600
Standard lift	m	1.5	1.5	1.5	1.5	1.5	1.5
Min. headroom (A)	mm	320	360	431	655	500	635
Number of chain falls		1	1	1	1	2	3
Weight with standard lift	kg	6.3	8.8	16.4	32.5	24.9	42.1
Weight for 1 m add. lift	kg	0.7	1.1	1.8	3.7	3.6	5.4
Price with 1.5 m lift	EURO	455.00	552.00	784.00	988.00	1,266.00	1,912.00
	Order No.	G10390-G	G10391-G	G10392-G	G10280-G	G10394-G	G10395-G
Price with 3 m lift	EURO	496.00	615.00	877.00	1,114.00	1,447.00	2,163.00
	Order No.	G10390-3-G	G10391-3-G	G10392-3-G	G10280-3-G	G10394-3-G	G10395-3-G
Price with 6 m lift	EURO	577.00	739.00	1,064.00	1,366.45	1,808.00	2,665.00
	Order No.	G10390-6-G	G10391-6-G	G10392-6-G	G10280-6-G	G10394-6-G	G10395-6-G
Price for add. 1 m lift	EURO	27.00	41.60	62.40	84.10	121.00	168.00
	Order No.	G10086-G	G10087-G	G10249-G	G10287-G	G10254-G	G10256-G
Chain lock	EURO	148.00	168.00	320.00	673.00	320.00	320.00
	Order No.	G10450-G	G10451-G	G10452-G	G10453-G	G10452-G	G10452-G
Price for RFID chip incl. mounting	EURO	33.60	33.60	33.60	33.60	33.60	33.60
	Order No.	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G

Lever hoist PLX-III ...		0.75	1.5	3	6
Capacity	kg	750	1,500	3,000	6,000
standard lift	m	1.5	1.5	1.5	1.5
Min. headroom (A)	mm	320	380	480	600
Number of chain falls		1	1	1	2
Weight with standard lift	kg	7	11	19	35.5
Weight for 1 m add. lift	kg	0.8	1.4	2.2	4.4
Price with 1.5 m lift	EURO	254.00	328.00	474.00	810.00
	Order No.	G10350-G	G10351-G	G10352-G	G10353-G
Price with 3 m lift	EURO	295.00	390.00	552.00	957.00
	Order No.	G10350-3-G	G10351-3-G	G10352-3-G	G10353-3-G
Price with 6 m lift	EURO	376.00	513.00	709.00	1,251.00
	Order No.	G10350-6-G	G10351-6-G	G10352-6-G	G10353-6-G
Price for add. 1 m lift	EURO	27.00	41.30	52.40	98.10
	Order No.	G10009-G	G10069-G	G10011-G	G10012-G

ALUMINIUM Lever hoist PAH ...		250	500	800	1600	3200
Capacity	kg	250	500	800	1,600	3,200
standard lift	m	1.5	1.5	1.5	1.5	1.5
Min. headroom (A)	mm	223	282	329	355	445
Weight with standard lift	kg	1.6	2.7	5.1	7.6	14.7
Weight for 1 m add. lift	kg	0.2	0.4	0.7	1.1	1.8
Price with 1.5 m lift	EURO	192.00	261.00	488.00	611.00	963.00
	Order No.	G10460-G	G10461-G	G10462-G	G10463-G	G10464-G
Price with 3 m lift	EURO	233.00	301.00	528.00	674.00	1,057.00
	Order No.	G10460-3-G	G10461-3-G	G10462-3-G	G10463-3-G	G10464-3-G
Price with 6 m lift	EURO	313.00	382.00	609.00	798.00	1,244.00
	Order No.	G10460-6-G	G10461-6-G	G10462-6-G	G10463-6-G	G10464-6-G
Price for add. 1 m lift	EURO	27.00	27.00	27.00	41.60	62.40
	Order No.	G10465-G	G10007-G	G10086-G	G10087-G	G10249-G
Price for RFID chip incl. mounting	EURO	33.60	33.60	33.60	33.60	33.60
	Order No.	G10601-G	G10601-G	G10601-G	G10601-G	G10601-G

Manual chain hoist PREMIUM PRO-II ...		0.25	0.5	1	1.5	2	3	5	10	15	20	30	40
Capacity	kg	250	500	1,000	1,500	2,000	3,000	5,000	10,000	15,000	20,000	30,000	40,000
Min. headroom (A)	mm	285	316	367	409	428	504	637	735	1,036	1,031	1,149	1,557
Number of chain falls		1	1	1	1	1	1	2	3	6	8	12	16
Weight with 3 m lift	kg	5.9	7.6	11.5	17.2	17.2	27	40.5	61.9	137.9	202.9	268.9	440
Weight for 1 m add. lift*	kg	1.2	1.4	1.7	2.3	2.3	3.1	5.3	7.5	14.9	19.3	28.1	36.9
Price with 3 m lift	EURO	226.00	318.00	372.00	513.00	605.00	956.00	1,234.00	2,659.20	5,855.00	8,281.00	14,586.00	29,337.00
	Order No.	G11310-G	G11311-G	G11312-G	G11313-G	G11314-G	G11315-G	G11316-G	G11317-G	G11318-G	G11319-G	G11320-G	G11321-G
Price with 6 m lift	EURO	360.00	442.00	503.00	681.00	774.00	1,235.00	1,557.00	3,507.00	-	-	-	-
	Order No.	G11310-6-G	G11311-6-G	G11312-6-G	G11313-6-G	G11314-6-G	G11315-6-G	G11316-6-G	G11317-6-G	-	-	-	-
Price with 10 m lift	EURO	515.00	608.00	699.00	907.00	999.00	1,607.00	2,034.50	4,637.00	-	-	-	-
	Order No.	G11310-10-G	G11311-10-G	G11312-10-G	G11313-10-G	G11314-10-G	G11315-10-G	G11316-10-G	G11317-10-G	-	-	-	-
Price for add. 1 m lift	EURO	41.60	40.70	43.90	56.40	56.40	93.10	119.50	283.00	364.00	454.00	658.90	935.00
	Order No.	G10270-G	G10271-G	G10242-G	G10243-G	G10243-G	G10272-G	G10246-G	G10247-G	G10273-G	G10248-G	G10058-G	G10274-G
Price for RFID chip incl. mounting	EURO	33.60	33.60	33.60	33.60	33.60	33.60	33.60	33.60	33.60	33.60	33.60	33.60
	Order No.	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G	G10600-G

* 1 m operating length and 1 m lift

Manual chain hoist

Chain bag PREMIUM PRO-II



Manual chain hoist PULLMASTER-II



Manual chain hoist PREMIUM PRO-E



Mini-Alu-Manual chain hoist PAC360



CHAIN BAG PREMIUM PRO-II ...		0.25	0.5	1	1.5	2	3	5
Size 1 (max. lift in m)		26	16	11	6	6	4	2
Size 2 (max. lift in m)		32	19	14	8	8	5	2.5
Size 3 (max. lift in m)		38	22	17	10	10	6	3
Price for size 1	EURO	151.00	181.00	218.00	226.00	221.00	220.00	220.00
	Order No.	G10500-G	G10501-G	G10502-G	G10503-G	G10504-G	G10505-G	G10506-G
Price for size 2	EURO	151.00	185.00	219.00	221.00	224.00	221.00	221.00
	Order No.	G10510-G	G10511-G	G10512-G	G10513-G	G10514-G	G10515-G	G10516-G
Price for size 3	EURO	153.00	187.00	220.00	224.00	225.00	225.00	227.00
	Order No.	G10520-G	G10521-G	G10522-G	G10523-G	G10524-G	G10525-G	G10526-G

Chain bags for 10 - 40 t matching the lifting height on request!

MANUAL CHAIN HOIST PULLMASTER-II ...		0.5	1	1.5	2	3	5	10
Capacity	kg	500	1,000	1,500	2,000	3,000	5,000	10,000
Standard lift	m	3	3	3	3	3	3	3
Min. headroom (A)	mm	285	332	410	455	530	620	737
Number of chain falls		1	1	1	2	2	2	4
Weight with standard lift	kg	7.5	11.5	15.8	16	22	37	68
Weight for 1 m add. lift*	kg	1.3	1.6	2.2	2.4	3.6	5.2	9.6
Price with 3 m lift	EURO	181.00	221.00	298.00	350.00	458.00	694.00	1,619.00
	Order No.	G10530-G	G10531-G	G10538-G	G10532-G	G10533-G	G10534-G	G10535-G
Price with 6 m lift	EURO	310.00	357.00	467.00	544.00	693.00	1,052.00	2,179.00
	Order No.	G10530-6-G	G10531-6-G	G10538-6-G	G10532-6-G	G10533-6-G	G10534-6-G	G10535-6-G
Price with 10 m lift	EURO	476.00	533.00	692.00	829.00	1,005.00	1,529.00	2,926.00
	Order No.	G10530-10-G	G10531-10-G	G10538-10-G	G10532-10-G	G10533-10-G	G10534-10-G	G10535-10-G
Price for add. 1 m lift	EURO	41.60	43.90	56.40	67.00	80.40	119.50	193.00
	Order No.	G10241-G	G10242-G	G10243-G	G10244-G	G10536-G	G10246-G	G10537-G

* 1 m operating length and 1 m lift

MANUAL CHAIN HOIST PREMIUM PRO-E ...		0.25	0.5	1
Capacity	kg	250	500	1,000
Min. headroom (A)	mm	318	390	417
Number of chain falls	r/min	1	1	1
Max. Antriebsdrehzahl	kg	2,500	2,500	2,500
Weight with standard lift	kg	7.6	10.5	16.2
Weight for 1 m add. lift	kg	0.5	0.8	1.4
Price with 3 m lift	EURO	597.00	630.00	692.00
	Order No.	G10470-G	G10471-G	G10472-G
Price with 6 m lift	EURO	722.00	754.00	817.00
	Order No.	G10470-6-G	G10471-6-G	G10472-6-G
Price with 10 m lift	EURO	888.00	920.00	983.00
	Order No.	G10470-10-G	G10471-10-G	G10472-10-G
Price for add. 1 m lift	EURO	41.60	41.60	41.60
	Order No.	G10473-G	G10474-G	G10475-G
Price for RFID chip incl. mounting	EURO	33.60	33.60	33.60
	Order No.	G10600-G	G10600-G	G10600-G

Chain bag (plastic) on request. Capacities 2,000 and 3,000 kg on request

MINI-ALU MANUAL CHAIN HOIST PAC360 ...		250	0.5
Capacity	kg	250	500
Min. headroom (A)	mm	263	290
Number of chain falls	r/min	1	1
Weight with standard lift	kg	7.6	10.5
Weight for 1 m add. lift	kg	0.5	0.8
Price with 3 m lift	EURO	310.00	395.00
	Order No.	G10480-G	G10481-G
Price with 6 m lift	EURO	435.60	519.00
	Order No.	G10480-6-G	G10481-6-G
Price with 10 m lift	EURO	601.00	685.00
	Order No.	G10480-10-G	G10481-10-G
Price for add. 1 m lift	EURO	41.60	41.60
	Order No.	G10485-G	G10486-G
Price for RFID chip incl. mounting	EURO	151.00	151.00
	Order No.	G10490-G	G10490-G



Grip puller ROPEMASTER



Beam clamp BK



Trolley BR



Push trolley PTM



Gear type trolley GTM



Push trolley PTS



Gear type trolley GTS

GRIP PULLER ROPEMASTER RM ...		08	16	32	54
Capacity	kg	800	1,600	3,200	5,400
Standard rope length	m	20	20	20	20
Weight without rope	kg	7	14	21	61
Weight with rope and lever	kg	16	28	52	95
Grip puller without rope	EURO	260.00	343.00	580.00	942.00
Order No.		**G10100-F**	**G10101-F**	**G10102-F**	**G10114-F**
Grip puller with standard rope	EURO	357.00	448.00	784.00	1,208.00
Order No.		**G10103-F**	**G10104-F**	**G10105-F**	**G10115-F**
Rope pulley	EURO	on request	on request	on request	on request
Order No.		**D01160-A**	**D01162-A**	**D01162-A**	**D01169-A**

BEAM CLAMP BK ...		10	20	30	50	100
Capacity	kg	1,000	2,000	3,000	5,000	10,000
Grip range A min. - max.	mm	75 - 230	75 - 230	80 - 320	90 - 320	90 - 320
Weight	kg	4	5	9	11	18
Price	EURO	105.00	123.00	186.00	232.00	409.00
Order No.		**F00031-F**	**F00032-F**	**F00033-F**	**F00034-F**	**F00035-F**

Trolley BR ...		10	20	30	50
Capacity	kg	1,000	2,000	3,000	5,000
Grip range min. - max.	mm	64 - 203	76 - 203	76 - 203	100 - 305
Curve radius	m	1.1	1.3	1.4	1.5
Weight	kg	7	19.5	32	53
Price	EURO	273.00	434.00	642.00	954.00
Order No.		**F00042-F**	**F00036-F**	**F00037-F**	**F00039-F**

Push trolley PTM ... Gear type trolley GTM ...		0.5 0.5	1 1	2 2	3 3	5 5	10 10	- 20
Capacity	kg	500	1,000	2,000	3,000	5,000	10,000	20,000
Flange width B min. - max. PTM/GTM	mm	50 - 203 / 64 - 203	64 - 203	88 - 203	100 - 203	114 - 203	124 - 203	136 - 203
Min. curve radius	m	0.8	0.9	1	1.2	1.3	1.7	2.8
Net weight PTM	kg	7	10.5	17.5	27	41	74	-
Net weight GTM	kg	10.2	14.5	21.5	31	46	79	173
Price PTM	EURO	125.00	159.00	245.00	340.00	623.00	1,299.00	-
Order No.		**G20000-D**	**G20001-D**	**G20002-D**	**G20003-D**	**G20004-D**	**G20005-D**	**-**
Price with 2.5 m operation length GTM	EURO	213.00	227.00	328.00	422.00	699.00	1,445.00	2,066.00
Order No.		**G20006-D**	**G20007-D**	**G20008-D**	**G20009-D**	**G20010-D**	**G20011-D**	**G20012-D**
Larger flange width min. - max.	mm EURO	64 - 305 57.50	64 - 305 108.00	88 - 305 126.00	100 - 305 187.00	114 - 305 188.00	124 - 305 345.00	136 - 305 557.00
Order No.		**G20013-D**	**G20014-D**	**G20015-D**	**G20016-D**	**G20018-D**	**G20019-D**	**G20047-D**
Hand chain operation length per meter	EURO	19.50	19.50	19.50	19.50	19.50	19.50	19.50
Order No.		**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**

Push trolley PTS... Gear type trolley GTS...		0.5 0.5	1 1	2 2	3 3	5 5
Capacity	kg	500	1,000	2,000	3,000	5,000
Flange width M min. - max.	mm	48 - 203	48 - 203	66 - 203	72 - 203	90 - 203
Min. curve radius	m	0.8	0.9	1	1.2	1.3
Net weight PTS	kg	5.7	9.1	14.9	25.2	37.8
Net weight GTS	kg	8.7	12.1	18.1	28.7	41.6
Price PTS	EURO	163.00	196.00	286.00	464.00	726.00
Order No.		**S20000-D**	**S20001-D**	**S20002-D**	**S20003-D**	**S20004-D**
Price GTS with 2.5 m operation length	EURO	253.00	392.00	441.00	609.00	981.00
Order No.		**S20006-D**	**S20007-D**	**S20008-D**	**S20009-D**	**S20010-D**
Hand chain operation length per meter	EURO	19.50	19.50	19.50	19.50	19.50
Order No.		**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**
Price Lock nut galvanized	EURO	33.50	35.80	38.00	40.20	44.60
Order No.		**S20013-D**	**S20014-D**	**S20015-D**	**S20016-D**	**S20018-D**

PRO-LIFT SOLUTIONS

Trolleys



Push trolley LST-H



Push trolley LST-G



Push trolley PRO-H



Push trolley PRO-HC



Gear type trolley PRO-G



Gear type trolley PRO-GC

Push trolley LST-H ... Gear type trolley LST-G ...		0.5 0.5	1 1	2 2	3 3	5 5	10 10	- 20
Capacity	kg	500	1,000	2,000	3,000	5,000	10,000	20,000
Flange width M min. - max.	mm	50 - 203	64 - 203	88 - 203	100 - 203	114 - 203	124 - 203	136 - 203
Min. curve radius	m	0.85	1	1.1	1.3	1.4	2	on request
Net weight LST-H	kg	9	14	22	36	55	86	-
Net weight LST-G	kg	11	16	24	39	59	89	190
Price LST-H	EURO	156.00	171.00	263.00	452.00	684.00	1,428.00	-
Order No.		**G20340-D**	**G20341-D**	**G20342-D**	**G20343-D**	**G20344-D**	**G20345-D**	**-**
Price LST-G with 2.5 m operation length	EURO	251.00	276.00	397.00	545.00	877.00	1,768.00	3,041.00
Order No.		**G20350-D**	**G20351-D**	**G20352-D**	**G20353-D**	**G20354-D**	**G20355-D**	**G20356-D**
Larger flange width min. - max.	mm EURO	50 - 305 104.00	64 - 305 162.00	68 - 305 185.00	100 - 305 253.00	114 - 305 278.00	124 - 305 340.00	136 - 305 417.00
Order No.		**G20090-D**	**G20091-D**	**G20093-D**	**G20094-D**	**G20095-D**	**G20097-D**	**G20099-D**
Hand chain operation length per meter	EURO	19.50	19.50	19.50	19.50	19.50	19.50	19.50
Order No.		**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**

TROLLEY PRO-H- / -HC- / -G- / -GC- ...		0.5	1.1	2.2	3.3	5.5
Capacity	kg	500	1,100	2,200	3,300	5,500
Flange width FB1 min. - max.	mm	55 - 100	55 - 100	70 - 130	90 - 150	100 - 160
Flange width FB2 min. - max.	mm	100 - 150	100 - 150	130 - 180	150 - 200	160 - 210
Flange width FB3 min. - max.	mm	-	150 - 200	180 - 240	200 - 250	210 - 260
Flange width FB4 min. - max.	mm	-	200 - 250	240 - 300	250 - 300	260 - 310
Net weight PRO-H (FB1 / FB2 / FB3 / FB4)	kg	3.1 / 3.5 / - / -	6.1 /6.4 / 7.1 / 7.5	12.4 / 13.0 / 13.9 / 14.7	22.4 / 23.2 / 24.5 / 25.4	41.4 / 42.5 /44.1 / 45.3
Net weight PRO-HC (FB1 / FB2 / FB3 / FB4)	kg	-	PRO-H +1.2 kg	PRO-H +1.2 kg	PRO-H +1.2 kg	PRO-H +1.2 kg
Net weight PRO-G (FB1 / FB2 / FB3 / FB4)	kg	-	8.8 / 9.1 / 9.8 / 10.2	15.2 / 15.8 / 16.7 / 17.5	25.6 / 26.4 / 27.7 / 28.6	45.3 / 46.4 / 48.0 / 49.2
Net weight PRO-GC (FB1 / FB2 / FB3 / FB4)	kg	-	PRO-G +1.2 kg	PRO-G +1.2 kg	PRO-G +1.2 kg	PRO-G +1.2 kg
Price	EURO	374.00	470.00	637.00	964.00	1,336.00
PRO-H | FB1	**Order No.**	**G51101-C**	**G51111-C**	**G51121-C**	**G51131-C**	**G51141-C**
Price	EURO	459.00	531.00	701.00	1,035.00	1,421.00
PRO-H | FB2	**Order No.**	**G51102-C**	**G51112-C**	**G51122-C**	**G51132-C**	**G51142-C**
Price	EURO	-	572.00	765.00	1,107.00	1,504.00
PRO-H | FB3	**Order No.**	**-**	**G51113-C**	**G51123-C**	**G51133-C**	**G51143-C**
Price	EURO	-	624.00	828.00	1,178.00	1,585.00
PRO-H | FB4	**Order No.**	**-**	**G51114-C**	**G51124-C**	**G51134-C**	**G51144-C**
Price	EURO	-	661.00	886.00	1,215.00	1,707.00
PRO-G | FB1	**Order No.**	**-**	**G51211-C**	**G51221-C**	**G51231-C**	**G51241-C**
Price	EURO	-	711.00	947.00	1,290.00	1,636.00
PRO-G | FB2	**Order No.**	**-**	**G51212-C**	**G51222-C**	**G51232-C**	**G51242-C**
Price	EURO	-	761.00	1,012.00	1,359.00	1,876.00
PRO-G | FB3	**Order No.**	**-**	**G51213-C**	**G51223-C**	**G51233-C**	**G51243-C**
Price	EURO	-	816.00	1,077.00	1,434.00	1,955.00
PRO-G | FB4	**Order No.**	**-**	**G51214-C**	**G51224-C**	**G51234-C**	**G51244-C**
Price	EURO	-	124.00	151.00	163.00	187.00
Crane joint mount for FB1 (PRO-HC/GC)	**Order No.**	**-**	**G58011-C**	**G58021-C**	**G58031-C**	**G58041-C**
Price	EURO	-	124.00	151.00	163.00	187.00
Crane joint mount for FB2 (PRO-HC/GC)	**Order No.**	**-**	**G58012-C**	**G58022-C**	**G58032-C**	**G58042-C**
Price	EURO	-	151.00	163.00	187.00	306.00
Crane joint mount for FB3 (PRO-HC/GC)	**Order No.**	**-**	**G58013-C**	**G58023-C**	**G58033-C**	**G58043-C**
Price	EURO	-	151.00	163.00	187.00	306.00
Crane joint mount for FB4 (PRO-HC/GC)	**Order No.**	**-**	**G58014-C**	**G58024-C**	**G58034-C**	**G58044-C**
Price	EURO	19.50	19.50	19.50	19.50	19.50
Hand chain operation length per meter	**Order No.**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**

More capacities on request!



Low headroom trolley hoist LHT-H



Low headroom trolley hoist LHT-G



Combined geared-type trolley LHT-Hyperlow



Wheels for PRO-trolleys



Rope pulley BFZ

LOW HEADROOM TROLLEY HOIST LHT-H/-G ...		005L	010L	015L	020L	030L	050L	100L	200L
Capacity	kg	500	1,000	1,500	2,000	3,000	5,000	10,000	20,000
Standard lift	m	3	3	3	3	3	3	3	3
Number of chain falls		1	1	1	1	1	2	3	8
Min. headroom (A)	mm	266	316	356	361	427	583	769	974
Beam flange width min. – max.	mm	50 – 203	64 – 203	88 – 203	88 – 203	100 – 203	114 – 203	124 – 203	130 – 203
Min. curve radius	m	0.85	1	1.1	1.1	1.3	1.4	1.5	3
Weight with 3 m lift LHT-H	kg	13.5	22	42	42	56	82	143	331
Weight with 3 m lift LHT-G	kg	14.8	23.5	43.7	43.7	58	85	148	353
Price with 3 m lift LHT-H	EURO	771.00	806.00	1,142.00	1,215.00	1,761.00	2,637.00	5,315.00	11,065.00
	Order No.	G20300-F	G20301-F	G20302-F	G20303-F	G20304-F	G20305-F	G20307-F	G20309-F
Additional 1 m lift LHT-H	EURO	40.70	43.90	56.40	56.40	93.10	119.50	283.00	454.00
	Order No.	G10271-G	G10242-G	G10243-G	G10243-G	G10272-G	G10246-G	G10247-G	G10248-G
Price with 3 m lift LHT-G	EURO	937.00	1,069.00	1,294.00	1,417.00	1,780.00	2,702.00	5,796.00	10,116.00
	Order No.	G20310-F	G20311-F	G20312-F	G20313-F	G20314-F	G20315-F	G20317-F	G20319-F
Additional 1 m lift LHT-G	EURO	61.60	64.70	79.50	79.50	81.90	125.00	301.00	380.00
	Order No.	G20320-G	G20321-G	G20322-G	G20323-G	G20324-G	G20325-G	G20327-G	G20329-G
Larger flange width min. – max.	mm	64 – 305	64 – 305	88 – 305	88 – 305	100 – 305	114 – 305	124 – 305	136 – 305
Price	EURO	104.00	162.00	164.00	185.00	253.00	278.00	340.00	417.00
	Order No.	G20090-D	G20091-D	G20092-D	G20093-D	G20094-D	G20095-D	G20097-D	G20099-D

Chain bag (plastic) see page 4.

COMBINED GEARED-TYPE TROLLEY LHT-HYPERLOW ...		10	20	32	63	100
Capacity	kg	1,000	2,000	3,200	6,300	10,000
Standard lift	m	3	3	3	3	3
Number of chain falls		2	2	2	2	4
Chain size	mm	5 x 15	6 x 18	8 x 24	10 x 30	10 x 30
Min. headroom (A)	mm	156	173	212	249	305
Beam flange width min. – max.	mm	64 – 203	88 – 203	100 – 203	114 – 203	124 – 203
Weight with 3 m lift	kg	59	68.8	139	227.5	340.7
Price with 3 m lift	EURO	3,802.00	4,442.00	5,479.00	8,951.00	14,201.00
	Order No.	G20380-D	G20381-D	G20382-D	G20383-D	G20384-D
Additional 1 m lift	EURO	85.50	90.20	116.00	193.00	244.00
	Order No.	G20390-D	G20391-D	G20392-D	G20393-D	G20394-D
Larger flange width min.–max.	mm	64 – 305	88 – 305	100 – 305	124 – 305	124 – 305
Price	EURO	620.00	678.00	776.00	1,066.00	1,203.00
	Order No.	G20360-D	G20361-D	G20362-D	G20363-D	G20364-D

WHEELS FOR PRO-TROLLEYS OZ / MZ ...		Ø 45	Ø 60	Ø 80	Ø 100	Ø 125
Capacity	kg	0.15	0.3	0.6	1.0	1.4
Number of teeth		–	23	31	38	48
Module		–	3	3	3	3
Weight	kg	0.3	0.6	1.2	2.3	4.1
Price OZ	EURO	45.80	56.50	82.75	115.25	165.25
	Order No.	G59000-C	G59010-C	G59020-C	G59030-C	G59040-C
Price MZ	EURO	–	73.25	124.45	161.15	208.10
	Order No.	–	G59011-C	G59021-C	G59031-C	G59041-C

ROPE PULLEY BFZ ...		8	10	12	16
Capacity	kg	200	250	350	500
Rope diameter	mm	8	10	12	16
Roller diameter	mm	50	60	80	100
Rope length	m	20	25	30	40
Roll thickness	mm	12	12	16	20
Price	EURO	196.00	236.00	398.00	678.00
	Order No.	H10270-C1	H10271-C1	H10272-C1	H10273-C1



Lever hoist
PREMIUM PRO-EX



Manual chain hoist
PREMIUM PRO-EX

LEVER HOIST PREMIUMPRO-EX ...		0.8	1.6	3.2	5	6.4	9.6
Capacity Basic/Medium Capacity High	kg kg	800 600	1,600 1,200	3,200 1,600	5,000 3,300	6,400 3,200	9,600 4,800
Standard lift	m	1.5	1.5	1.5	1.5	1.5	1.5
Meters load chain movement with 1 round 360°	m	0,019	0,015	0,016	0,009	0,008	0,005
Chain size	mm	5.6 x 17	7.1 x 21	9 x 27*	13 x 36	9 x 27*	9 x 27*
Min. headroom (A)	mm	320	360	431	655	500	635
Lever force	daN	22	24	33	37	36	38
Number of chain falls		1	1	1	1	2	3
Weight with standard lift	kg	6.3	8.8	16.4	32.5	24.9	42.1
Weight for 1 m add. lift	kg	0.7	1.1	1.8	3.7	3.6	5.4
Price with 1.5 m lift	EURO	691.00	751.00	883.00	1,573.00	1,694.00	1,997.00
Basic version:	**Order No.**	**G10320-G**	**G10321-G**	**G10322-G**	**G10323-G**	**G10324-G**	**G10325-G**
Price with 1.5 m lift	EURO	1,997.00	2,117.00	2,360.00	2,782.00	2,600.00	3,507.00
Medium version:	**Order No.**	**G10326-G**	**G10327-G**	**G10328-G**	**G10329-G**	**G10330-G**	**G10331-G**
Price with 1.5 m lift	EURO	-	2,299.00	2,540.00	2,385.00	3,145.00	4,173.00
High version:	**Order No.**	**-**	**G10339-G**	**G10340-G**	**G10341-G**	**G10342-G**	**G10343-G**
Price for additional 1 m lift	EURO	27.00	41.60	62.40	84.10	121.00	168.00
Basic / Medium	**Order No.**	**G10086-G**	**G10087-G**	**G10249-G**	**G10287-G**	**G10254-G**	**G10256-G**
Price for additional 1 m lift	EURO	-	280.00	395.00	640.00	749.00	1,119.00
High	**Order No.**	**-**	**G10345-B**	**G10346-B**	**G10347-B**	**G10348-B**	**G10349-B**

MANUAL CHAIN HOIST PREMIUM PRO-EX ...		0.25	0.5	1	1.5	2	3	5	10
Capacity Basic/Medium Capacity High	kg kg	250 250	500 500	1,000 900	1,500 1,250	2,000 1,250	3,000 2,000	5,000 3,200	10,000 6,400
Standard lift	m	3	3	3	3	3	3	3	3
Min. headroom (A)	mm	259	309	373	460	460	553	630	900
Hand chain force	daN	22	24	30.5	36	36	37	39	39.5
Hand chain operation length	m	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Meters hand chain to pull to lift 1m	m	14.8	29.5	39.4	60.8	60.8	96.7	193.3	290
Number of chain falls		1	1	1	1	1	1	2	3
Chain size	mm	4 x 12	5 x 15	6 x 18	8 x 24	8 x 24	10 x 30	10 x 30	10 x 30*
Weight with standard lift	kg	5.8	7.6	11.5	17.2	17.2	27	40.5	61.9
Weight for 1 m add. lift*	kg	1.2	1.4	1.6	2.2	2.2	3.0	5.2	7.6
Price with 3 m lift	EURO	819.00	974.20	1,134.25	1,403.00	1,504.50	1,625.00	2,110.00	3,900.00
Basic version	**Order No.**	**G10360-G**	**G10361-G**	**G10362-G**	**G10363-G**	**G10364-G**	**G10365-G**	**G10366-G**	**G10367-G**
Price with 3 m lift	EURO	2,202.00	2,312.00	2,383.00	2,480.00	2,539.80	2,678.00	3,125.00	5,199.00
Medium version	**Order No.**	**G10368-G**	**G10369-G**	**G10370-G**	**G10371-G**	**G10372-G**	**G10373-G**	**G10374-G**	**G10375-G**
Price with 3 m lift	EURO	2,313.00	2,539.80	2,661.00	2,805.00	3,379.00	3,991.00	6,419.00	11,179.00
High version	**Order No.**	**G10376-G**	**G10377-G**	**G10378-G**	**G10379-G**	**G10380-G**	**G10381-G**	**G10382-G**	**G10383-G**
Price for additional 1 m lift	EURO	41.60	40.70	43.90	56.40	56.40	93.10	119.50	283.00
Basic / Medium	**Order No.**	**G10270-G**	**G10271-G**	**G10242-G**	**G10243-G**	**G10243-G**	**G10272-G**	**G10246-G**	**G10247-G**
Price for additional 1 m lift	EURO	110.00	96.00	156.00	150.00	156.00	272.00	388.00	845.00
High	**Order No.**	**G10170-G**	**G10171-G**	**G10172-G**	**G10173-G**	**G10174-G**	**G10175-G**	**G10176-G**	**G10177-G**
Hand chain operation length per meter	EURO	20.90	20.90	20.90	20.90	20.90	20.90	20.90	20.90
Basic/Medium	**Order No.**	**G10178-G**	**G10178-G**	**G10178-G**	**G10178-G**	**G10178-G**	**G10178-G**	**G10178-G**	**G10178-G**
Hand chain operation length per meter	EURO	134.00	134.00	134.00	134.00	134.00	134.00	134.00	134.00
High	**Order No.**	**G10179-G**	**G10179-G**	**G10179-G**	**G10179-G**	**G10179-G**	**G10179-G**	**G10179-G**	**G10179-G**

Chain bag (plastic), from 5,000 kg (stainless steel) on request. Please enquire about other load capacities! * 1 m operating length and 1 m lift

PRO-LIFT SOLUTIONS



Push trolley LST-H-EX



Gear type trolley LST-G-EX



Push trolley PRO-EX-H



Push trolley PRO-EX-HC



Gear type trolley PRO-EX-G



Gear type trolley PRO-EX-GC

PUSH TROLLEY LST-H-EX ... GEAR TYPE TROLLEY LST-G-EX ...		0.5 0.5	1 1	2 2	3 3	5 5	10 10	- 20
Capacity	kg	500	1,000	2,000	3,000	5,000	10,000	20,000
Flange width M min. – max.	mm	50 – 203	64 – 203	88 – 203	100 – 203	114 – 203	124 – 203	136 – 203
Min. curve radius	m	0.85	1	1.1	1.3	1.4	2	on request
Net weight LST-H-EX	kg	9	14	22	36	55	86	-
Net weight LST-G-EX	kg	11	16	24	39	59	89	190
Price LST-H-EX	EURO	407.00	468.00	567.00	727.00	1,169.00	1,833.00	-
Basic version:	**Order No.**	**G20400-D**	**G20401-D**	**G20402-D**	**G20403-D**	**G20404-D**	**G20405-D**	**-**
Price LST-H-EX	EURO	641.00	690.00	775.00	1,192.00	1,827.00	2,795.00	-
Medium version:	**Order No.**	**G20410-D**	**G20411-D**	**G20412-D**	**G20413-D**	**G20414-D**	**G20415-D**	**-**
Price LST-H-EX	EURO	862.00	885.00	936.00	1,292.00	2,163.00	2,999.00	-
High version:	**Order No.**	**G20420-D**	**G20421-D**	**G20422-D**	**G20423-D**	**G20424-D**	**G20425-D**	**-**
Price LST-G-EX with 2.5 m operation length	EURO	678.00	714.00	764.00	1,095.00	1,342.00	1,978.00	on request
Basic version:	**Order No.**	**G20430-D**	**G20431-D**	**G20432-D**	**G20433-D**	**G20434-D**	**G20435-D**	**G20436-D**
Price LST-G-EX with 2.5 m operation length	EURO	827.00	875.00	984.00	1,360.00	1,966.00	3,040.00	on request
Medium version:	**Order No.**	**G20440-D**	**G20441-D**	**G20442-D**	**G20443-D**	**G20444-D**	**G20445-D**	**G20446-D**
Price LST-G-EX with 2.5 m operation length	EURO	973.00	1,104.00	1,395.00	1,859.00	2,557.00	3,904.00	on request
High version:	**Order No.**	**G20450-D**	**G20451-D**	**G20452-D**	**G20453-D**	**G20454-D**	**G20455-D**	**G20456-D**
Price Hand chain operation length per meter (LHT-G-EX)	EURO	19.50	19.50	19.50	19.50	19.50	19.50	19.50
Basic/Medium version:	**Order No.**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**
Price Hand chain operation length per meter (LHT-G-EX)	EURO	on request	on request	on request	on request	on request	on request	on request
High version:	**Order No.**	**G20520-D**	**G20520-D**	**G20520-D**	**G20520-D**	**G20520-D**	**G20520-D**	**G20520-D**
Larger flange width min. – max.	mm	50 – 305	64 – 305	68 – 305	100 – 305	114 – 305	124 – 305	136 – 305
	EURO	104.00	162.00	185.00	253.00	278.00	340.00	417.00
	Order No.	**G20090-D**	**G20091-D**	**G20093-D**	**G20094-D**	**G20095-D**	**G20097-D**	**G20099-D**
Price Position lock device	EURO	on request	on request	on request	on request	on request	on request	on request
	Order No.	**G20521-D**	**G20522-D**	**G20524-D**	**G20525-D**	**G20526-D**	**G20527-D**	**G20528-D**
Price Extended handwheel shaft	EURO	on request	on request	on request	on request	on request	on request	on request
	Order No.	**G20529-D**	**G20530-D**	**G20531-D**	**G20532-D**	**G20533-D**	**G20534-D**	**G20535-D**

Other capacities on request!

TROLLEY PRO-EX-H- / -HC- / -G- / -GC- ...		0.5	1.1	2.2	3.3	5.5
Capacity	kg	500	1,100	2,200	3,300	5,500
Flange width FB1 min. – max.	mm	55 – 100	55 – 100	70 – 130	90 – 150	100 – 160
Flange width FB2 min. – max.	mm	100 – 150	100 – 150	130 – 180	150 – 200	160 – 210
Flange width FB3 min. – max.	mm	-	150 – 200	180 – 240	200 – 250	210 – 260
Flange width FB4 min. – max.	mm	-	200 – 250	240 – 300	250 – 300	260 – 310
Net weight PRO-EX-H (FB1 / FB2 / FB3 / FB4)	kg	3.1 / 3.5 / - / -	6.1 /6.4 / 7.1 / 7.5	12.4 / 13.0 / 13.9 / 14.7	22.4 / 23.2 / 24.5 / 25.4	41.4 / 42.5 /44.1 / 45.3
Net weight PRO-EX-HC (FB1 / FB2 / FB3 / FB4)	kg	-	PRO-EX-H +1.2 kg	PRO-EX-H +1.2 kg	PRO-EX-H +1.2 kg	PRO-EX-H +1.2 kg
Net weight PRO-EX-G (FB1 / FB2 / FB3 / FB4)	kg	-	8.8 / 9.1 / 9.8 / 10.2	15.2 / 15.8 / 16.7 / 17.5	25.6 / 26.4 / 27.7 / 28.6	45.3 / 46.4 / 48.0 / 49.2
Net weight PRO-EX-GC (FB1 / FB2 / FB3 / FB4)	kg	-	PRO-EX-G +1.2 kg	PRO-EX-G +1.2 kg	PRO-EX-G +1.2 kg	PRO-EX-G +1.2 kg
Price	EURO	411.00	517.00	701.00	1,060.00	1,470.00
PRO-EX-H | FB1	**Order No.**	**G53101-C**	**G53111-C**	**G53121-C**	**G53131-C**	**G53141-C**
Price	EURO	505.00	584.00	771.00	1,139.00	1,421.00
PRO-EX-H | FB2	**Order No.**	**G53102-C**	**G53112-C**	**G53122-C**	**G53132-C**	**G53142-C**
Price	EURO	-	629.00	842.00	1,218.00	1,654.00
PRO-EX-H | FB3	**Order No.**	**-**	**G53113-C**	**G53123-C**	**G53133-C**	**G53143-C**
Price	EURO	-	686.00	911.00	1,296.00	1,744.00
PRO-EX-H | FB4	**Order No.**	**-**	**G53114-C**	**G53124-C**	**G53134-C**	**G53144-C**
Price	EURO	-	727.00	886.00	1,337.00	1,878.00
PRO-EX-G | FB1	**Order No.**	**-**	**G53211-C**	**G53221-C**	**G53231-C**	**G53241-C**
Price	EURO	-	782.00	1,042.00	1,419.00	1,969.00
PRO-EX-G | FB2	**Order No.**	**-**	**G53212-C**	**G53222-C**	**G53232-C**	**G53242-C**
Price	EURO	-	837.00	1,113.00	1,495.00	2,064.00
PRO-EX-G | FB3	**Order No.**	**-**	**G53213-C**	**G53223-C**	**G53233-C**	**G53243-C**
Price	EURO	-	898.00	1,185.00	1,577.00	2,151.00
PRO-EX-G | FB4	**Order No.**	**-**	**G53214-C**	**G53224-C**	**G53234-C**	**G53244-C**
Price	EURO	-	124.00	151.00	163.00	187.00
Crane joint mount for FB1 (PRO-EX-HC/GC)	**Order No.**	**-**	**G58011-C**	**G58021-C**	**G58031-C**	**G58041-C**
Price	EURO	-	124.00	151.00	163.00	187.00
Crane joint mount for FB2 (PRO-EX-HC/GC)	**Order No.**	**-**	**G58012-C**	**G58022-C**	**G58032-C**	**G58042-C**
Price	EURO	-	151.00	163.00	187.00	306.00
Crane joint mount for FB3 (PRO-EX-HC/GC)	**Order No.**	**-**	**G58013-C**	**G58023-C**	**G58033-C**	**G58043-C**
Price	EURO	-	151.00	163.00	187.00	306.00
Crane joint mount for FB4 (PRO-EX-HC/GC)	**Order No.**	**-**	**G58014-C**	**G58024-C**	**G58034-C**	**G58044-C**
Price	EURO	19.50	19.50	19.50	19.50	19.50
Hand chain operation length per meter	**Order No.**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**	**G20017-D**

More capacities on request!

ATEX-Low headroom trolley hoist | Air chain hoist



Low headroom trolley hoist
LHT-H



Low headroom trolley hoist
LHT-G



Air chain hoist
EHL

LOW HEADROOM TROLLEY HOIST LHT-H/-G-EX ...		005L	010L	015L	020L	030L	050L	100L
Capacity Basic/Medium	kg	500	1,000	1,500	2,000	3,000	5,000	10,000
Capacity High	kg	500	900	1,250	1,250	2,000	3,200	6,400
Standard lift	m	3	3	3	3	3	3	3
Number of chain falls		1	1	1	1	1	2	3
Chain size	mm	5 x 15	6 x 18	8 x 24	8 x 24	10 x 30	10 x 30	10 x 30*
Min. headroom (A)	mm	268	318	388	388	472	595	800
Flange width M min. – max.	mm	50 – 203	64 – 203	88 – 203	88 – 203	100 – 203	114 – 203	124 – 203
Min. curve radius	m	0.85	1	1.1	1.1	1.3	1.4	2
Meters hand chain to pull to lift 1m	m	29.5	39.4	60.8	60.8	96.7	193.3	290
Reel path for 1 m path LHT-G	m	3	3.6	4.7	4.7	5.7	6.3	8
Weight with 3 m lift LHT-H	kg	13.5	22	42	42	56	82	143
Weight with 3 m lift LHT-G	kg	14.8	23.5	43.7	43.7	58	85	148
Price LHT-H-EX with 3 m lift	EURO	1,317.00	1,504.00	1,693.00	1,869.00	2,394.00	3,257.00	5,637.00
Basic version:	**Order No.**	**G20460-D**	**G20461-D**	**G20462-D**	**G20463-D**	**G20464-D**	**G20465-D**	**G20466-D**
Price LHT-H-EX with 3 m lift	EURO	1,665.00	1,943.00	2,320.00	2,631.00	3,508.00	4,884.00	7,764.00
Medium version:	**Order No.**	**G20470-D**	**G20471-D**	**G20472-D**	**G20473-D**	**G20474-D**	**G20475-D**	**G20476-D**
Price LHT-H-EX with 3 m lift	EURO	1,943.00	2,256.00	2,569.00	3,006.00	4,509.00	6,250.00	10,269.00
High version:	**Order No.**	**G20480-D**	**G20481-D**	**G20482-D**	**G20483-D**	**G20484-D**	**G20485-D**	**G20486-D**
Price LHT-G-EX with 3 m lift	EURO	1,618.00	1,805.00	1,943.00	2,131.00	3,096.00	4,283.00	6,388.00
Basic version:	**Order No.**	**G20490-D**	**G20491-D**	**G20492-D**	**G20493-D**	**G20494-D**	**G20495-D**	**G20496-D**
Price LHT-G-EX with 3 m lift	EURO	2,256.00	2,406.00	2,631.00	3,195.00	4,985.00	6,237.00	9,642.00
Medium version:	**Order No.**	**G20500-D**	**G20501-D**	**G20502-D**	**G20503-D**	**G20504-D**	**G20505-D**	**G20506-D**
Price LHT-G-EX with 3 m lift	EURO	2,430.00	2,569.00	3,016.00	3,219.00	4,997.00	6,625.00	11,145.00
High version:	**Order No.**	**G20510-D**	**G20511-D**	**G20512-D**	**G20513-D**	**G20514-D**	**G20515-D**	**G20516-D**
Price for additional 1 m lift (LHT-H)	EURO	40.70	43.90	56.40	56.40	93.10	119.50	283.00
Basic/Medium version:	**Order No.**	**G10271-G**	**G10242-G**	**G10243-G**	**G10243-G**	**G10272-G**	**G10246-G**	**G10247-G**
Price for additional 1 m lift (LHT-H)	EURO	96.00	156.00	150.00	156.00	272.00	388.00	845.00
High version:	**Order No.**	**G10171-G**	**G10172-G**	**G10173-G**	**G10174-G**	**G10175-G**	**G10176-G**	**G10177-G**
Price for additional 1 m lift (LHT-G-EX)	EURO	61.60	64.70	79.50	79.50	81.90	125.00	301.00
Basic/Medium version:	**Order No.**	**G20320-G**	**G20321-G**	**G20322-G**	**G20323-G**	**G20324-G**	**G20325-G**	**G20327-G**
Price for additional 1 m lift (LHT-G-EX)	EURO	137.00	on request	on request	on request	on request	on request	on request
High version:	**Order No.**	**G20536-B**	**G20537-B**	**G20538-B**	**G20539-B**	**G20540-B**	**G20541-B**	**G20542-B**
Price Position lock device	EURO	on request	on request	on request	on request	on request	on request	on request
	Order No.	**G20521-D**	**G20522-D**	**G20523-D**	**G20524-D**	**G20525-D**	**G20526-D**	**G20527-D**
Larger flange width min. – max.	mm	64 – 305	64 – 305	88 – 305	88 – 305	100 – 305	114 – 305	124 – 305
Price	EURO	104.00	162.00	164.00	185.00	253.00	278.00	340.00
	Order No.	**G20090-D**	**G20091-D**	**G20092-D**	**G20093-D**	**G20094-D**	**G20095-D**	**G20097-D**

Chain bag (plastic) on request.

AIR CHAIN HOIST EHL ...		05TS	1TW	1TS	2TW	3TS	6TW
Capacity	kg	500	1,000	1,000	2,000	3,000	6,000
Standard lift	m	3	3	3	3	3	3
Number of chain falls		1	2	1	2	1	2
Chain size (diameter)	mm	6.3	6.3	7.1	7.1	12.5	12.5
Min. headroom	mm	363	440	477	692	582	768
Lifting speed at 6 bar	m/min	10.5	5.2	6	3	3	1.5
Air consumption	m^3/min	1.65	1.65	1.8	1.8	3.14	3.14
Air inlet R	inch	1/2"	1/2"	1/2"	1/2"	3/4"	3/4"
Weight with chain control / pendant control	kg	20 / 22	26 / 28	34 /37	42 /44	79 / 81	101 / 103
Price with chain control	EURO	2,718.00	3,196.00	4,912.00	8,166.00	9,055.00	9,954.00
	Order No.	**H10320-B**	**H10321-B**	**H10322-B**	**H10323-B**	**H10324-B**	**H10325-B**
Price with push-button control	EURO	3,469.00	3,915.00	6,041.00	9,822.00	10,969.00	11,868.00
	Order No.	**H10326-B**	**H10327-B**	**H10328-B**	**H10329-B**	**H10330-B**	**H10331-B**
Price for additional lift per meter	EURO	26.20	49.40	36.30	367.00	153.00	687.00
	Order No.	**H10332-B**	**H10333-B**	**H10334-B**	**H10335-B**	**H10336-B**	**H10337-B**
Price for add. length chain control	EURO	10.70	10.70	10.70	10.70	10.70	10.70
	Order No.	**H10042-A**	**H10042-A**	**H10042-A**	**H10042-A**	**H10042-A**	**H10042-A**
Price for add. length push-button control	EURO	40.80	40.80	40.80	40.80	40.80	40.80
	Order No.	**H10043-A**	**H10043-A**	**H10043-A**	**H10043-A**	**H10043-A**	**H10043-A**
Price for maintenance unit	EURO	382.00	382.00	382.00	348.00	348.00	348.00
	Order No.	**H10055-A**	**H10055-A**	**H10055-A**	**H10055-A**	**H10055-A**	**H10055-A**

PRO-LIFT SOLUTIONS



Air chain hoist TCR



Air chain hoist TMH

AIR CHAIN HOIST LIFTMASTER TCR ...		250C/P	500C/P	1000C2/P	1000C/P	2000C2/P
Capacity (air pressure 6 bar - 1Bm)	kg	250	500	1,000	1,000	2,000
Lifting speed without load	m/min	20.5	20.5	10.3	11.3	5.7
Lifting speed with full load	m/min	10.5	10.5	5.3	6	3
Lowering speed without load	m/min	13.4	13.4	6.7	6.8	3.4
Lowering speed with full load	m/min	17.9	17.9	9	10.3	5.2
Air inlet R	inch	1/2"	1/2"	1/2"	1/2"	1/2"
Chain size	mm	6.3 x 19.1	6.3 x 19.1	6.3 x 19.1	7.1 x 21	7.1 x 21
Air consumption at full load	l/sec	25	25	25	25	25
Number of chain falls		1	1	2	1	2
Weight with standard lift	kg	31	31	34	35	40
Price incl. 3 m lift with chain control	EURO	3,546.00	3,811.00	4,346.00	5,231.00	6,727.00
	Order No.	H10001-A	H10002-A	H10003-A	H10004-A	H10005-A
Price incl. 3 m lift with pendant control	EURO	4,613.00	4,718.00	4,904.00	5,843.00	6,804.00
	Order No.	H10015-A	H10016-A	H10017-A	H10018-A	H10019-A
Price additional lift per meter	EURO	38.10	38.10	73.50	37.70	72.50
	Order No.	H10029-A	H10029-A	H10030-A	H10031-A	H10032-A
Maintenance unit	EURO	330.00	330.00	330.00	330.00	330.00
	Order No.	H10054-A	H10054-A	H10054-A	H10054-A	H10054-A
Chain box (plastic) up to 3 m lift	EURO	174.00	174.00	211.00	211.00	211.00
	Order No.	H10340-A	H10341-A	H10342-A	H10343-A	H10344-A
Price air powered trolley DLK	EURO	auf Anfrage	auf Anfrage	auf Anfrage	auf Anfrage	auf Anfrage
	Order No.	H10044-A	H10052-A	H10053-A	H10053-A	H10045-A
Price for add. control length rope control / m	EURO	10.70	10.70	10.70	10.70	10.70
	Order No.	H10042-A	H10042-A	H10042-A	H10042-A	H10042-A
Price for add. control length pendant control / m	EURO	40.80	40.80	40.80	40.80	40.80
	Order No.	H10043-A	H10043-A	H10043-A	H10043-A	H10043-A
Pneumatic-Special-Oil (content: 2.5 Liter)	EURO	208.00	208.00	208.00	208.00	208.00
	Order No.	H20566-C1	H20566-C1	H20566-C1	H20566-C1	H20566-C1

AIR CHAIN HOIST LIFTMASTER TMH ...		3000	6000	9000	12000	15000	25000
Capacity (air pressure 6 bar - 1Bm)	kg	3,000	6,000	9,000	12,000	15,000	25,000
Lifting speed without load	m/min	10.8	5.4	3.6	2.7	2.16	2.7
Lifting speed with full load	m/min	5.4	2.7	1.8	1.35	1.08	1.4
Lowering speed with full load	m/min	10.2	5.1	5.1	2.5	2.04	3
Air inlet R	inch	¾" BSPT	¾" BSPT	¾" BSPT	¾" BSPT	¾" BSPT	1½" BSPT
Air consumption at full load	l/sec	58.3	58.3	58.3	58.3	58.3	108
Number of chain falls		1	2	3	4	5	2
Weight with standard lift	kg	99	124	170	190	280	581
Price incl. 3 m lift with chain control	EURO	9,719.00	11,062.00	on request	on request	on request	67,347.00
	Order No.	H10360-A	H10362-A	H10369-A	H10371-A	H10373-A	H10366-A
Price incl. 3 m lift with pendant control	EURO	10,115.00	11,663.00	on request	on request	on request	68,354.00
	Order No.	H10361-A	H10363-A	H10370-A	H10372-A	H10374-A	H10367-A
Price additional lift per meter	EURO	76.00	154.00	on request	on request	on request	822.00
	Order No.	H10364-A	H10365-A	H10377-A	H10378-A	H10379-A	H10368-A
Price maintenance unit	EURO	330.00	330.00	712.00	712.00	712.00	on request
	Order No.	H10054-A	H10054-A	H10056-A	H10056-A	H10056-A	H10090-A
Price chain box (galvanized)	EURO	1,032.00	1,032.00	1,032.00	1,032.00	1,032.00	-
	Order No.	H10345-A	H10345-A	H10345-A	H10345-A	H10345-A	-
Price air powered trolley DLK	EURO	on request	on request	on request	on request	on request	on request
	Order No.	H10046-A	H10047-A	H10047-A	H10047-A	H10047-A	H10051-A
Price add. control length rope control / m	EURO	10.70	10.70	10.70	10.70	10.70	10.70
	Order No.	H10042-A	H10042-A	H10042-A	H10042-A	H10042-A	H10042-A
Price add. control length pendant control / m	EURO	40.80	40.80	40.80	40.80	40.80	40.80
	Order No.	H10043-A	H10043-A	H10043-A	H10043-A	H10043-A	H10043-A

Please enquire for further capacities! Chain box from 6 t (sheet steel) on request!

PROLIFT SOLUTIONS


Mini-Air hoist TCRM/TCS



Air rope hoist EHW



Air supply



MINI-AIR HOIST TCRM/TCS ...		M125 C/DP	M250 C/DP	M500 C2/DP2	TCS-500	TCS-980*
Capacity	kg	125	250	500	500	990
Number of chain falls		1	1	2	1	2
Chain size	mm	4 x 12	4 x 12	4 x 12	6.3 x 19	6.3 x 19
Control length	m	2	2	2	2	2
Air pressure	bar	6	6	6	6	6
Lifting speed with full load	m/min	14	9.3	4.5	17	8.5
Lifting speed without load	m/min	19	19	9.5	33	16.5
Air consumption	l/s	11.7	11.7	11.7	33	33
Min. headroom (H)	mm	305	305	365	414	456
Weight with standard lift	kg	7	7	8.5	15.9	16.8
Weight for 1 m add. lift	kg	0.35	0.35	0.7	0.9	1.8
Price incl. 3m lift with chain control	EURO	2,414.00	2,549.00	3,245.00	3,579.00	6,438.00
	Order No.	H10070-A	H10071-A	H10072-A	H10088-A	H10108-A
Price incl. 3m lift with pedant control	EURO	2,789.00	3,016.00	3,435.00	4,008.00	6,651.00
	Order No.	H10073-A	H10074-A	H10075-A	H10098-A	H10118-A
Price for additional lift per meter	EURO	24.80	24.80	48.00	38.10	60.50
	Order No.	H10076-A	H10076-A	H10077-A	H10069-A	H10128-A
Price of chain box for up to 6 meters of chain	EURO	-	-	190.00	-	-
	Order No.	-	-	H10354-A	-	-
Price of chain box for up to 10 meters of chain	EURO	-	-	143.75	-	-
	Order No.	-	-	H10355-A	-	-
Price of chain box for up to 12 meters of chain	EURO	190.00	190.00	-	-	-
	Order No.	H10354-A	H10354-A	-	-	-
Price of chain box for up to 20 meters of chain	EURO	143.75	143.75	-	-	-
	Order No.	H10355-A	H10355-A	-	-	-

* Equipped with chain box for lifting heights of up to 4 m.

AIR ROPE HOIST LIFTMASTER EHW ...		60R	120R
Capacity	kg	60	120
Standard lift	m	2	2
Number of rope strands		1	1
Air pressure	bar	6	6
Lifting speed with full load	m/min	26	16
Air consumption	m3/min	0.9	0.9
Air inlet R	inch	3/8"	3/8"
Weight with standard lift	kg	10	10
Price with 2 m standard lift	EURO	2,594.00	2,689.00
	Order No.	H10083-B	H10084-B

More capacitites on request!

AIR SUPPLY ...		1	2	3
3 m standard length per rail unit Price complete 1/2 inch	EURO	489.00	239.00	487.00
	Order No.	H10180-B	H10181-B	H10182-B
1 m more rail length 1/2 inch	EURO	78.90	56.30	176.00
	Order No.	H10183-B	H10184-B	H10185-B
Unit price complete 3/4 inch	EURO	603.00	257.00	483.00
	Order No.	H10186-B	H10187-B	H10188-B
1 meter more track length 3/4 inch	EURO	52.70	60.40	182.00
	Order No.	H10189-B	H10190-B	H10191-B
Unit price complete 1 inch	EURO	-	352.00	501.00
	Order No.	-	H10193-B	H10194-B
1 meter more track length 1 inch	EURO	-	74.80	74.80
	Order No.	-	H10196-B	H10197-B

PRO-LIFT SOLUTIONS



Air supply accessories

Elektrokettenzug PITCH PF



AIR SUPPLY ACCESSORIES		1	2	3
Quick-action coupling 1/2 inch	EURO	-	86.80	86.80
	Order No.	-	H10199-B	H10200-B
Quick-action coupling 3/4 inch	EURO	-	141.00	140.00
	Order No.	-	H10202-B	H10203-B
Quick-action coupling 1 inch	EURO	-	157.00	157.00
	Order No.	-	H10205-B	H10206-B
Air hose 1/2 inch - 6 bar	EURO	-	17.40	17.00
	Order No.	-	H10208-B	H10209-B
Air hose 3/4 inch - 6 bar	EURO	-	18.70	18.70
	Order No.	-	H10211-B	H10212-B
Air hose 1 8 inch - 6 bar	EURO	-	25.00	25.00
	Order No.	-	H10214-B	H10215-B
Air hose 1 1/4 inch - 6 bar	EURO	-	38.00	38.00
	Order No.	-	H10217-B	H10218-B
Air hose 1 1/2 inch - 6 bar	EURO	-	50.00	50.00
	Order No.	-	H10220-B	H10221-B

ELECTRIC CHAIN HOIST ...	Capacity kg	ISO (FEM)	Number of chain falls	Chain size mm	Lifting speed m/min	Weight kg	Price EURO	Order No.	Number (Size) of req. trolleys EC/PC	Price for add. 1 m lift (chain only) EURO
PF 02L1-250	250	M5(2m)	1/1	4 × 12	4/1	20.3	2,039.00	P00021-C2	1 (12)	38.70
PF 02S1-250		M5(2m)	1/1	4 × 12	8/2	20.3	2,153.00	P00022-C2	1 (12)	38.70
PF 05L1-500	500	M5(2m)	1/1	5.2 × 15	4/1	25.1	2,237.00	P00051-C2	1 (12)	41.90
PF 05S1-500		M5(2m)	1/1	5.2 × 15	8/2	25.1	2,381.00	P00052-C2	1 (12)	41.90
PF 10L1-1000	1,000	M5(2m)	1/1	7.2 × 21	4/1	41.8	2,771.00	P00101-C2	1 (12)	50.40
PF 10S1-1000		M5(2m)	1/1	7.2 × 21	8/2	43.8	3,086.00	P00102-C2	1 (12)	50.40
PF 16L1-1600	1,600	M5(2m)	1/1	9 × 27	4/1	76.6	3,565.00	P00161-C2	1 (22)	59.00
PF 16S1-1600		M5(2m)	1/1	9 × 27	8/2	76.8	4,093.00	P00162-C2	1 (22)	59.00
PF 25L1-2000	2,000	M6(3m)	1/1	11.3 × 31	4/1	80.3	3,925.00	P00201-C2	1 (22)	72.00
PF 25S1-2000		M6(3m)	1/1	11.3 × 31	8/2	82.7	4,961.00	P00202-C2	1 (22)	72.00
PF 25L1-2500	2,500	M5(2m)	1/1	11.3 × 31	4/1	82.9	4,679.00	P00251-C2	1 (34)	72.00
PF 25S1-2500		M5(2m)	1/1	11.3 × 31	8/2	85.3	5,462.00	P00252-C2	1 (34)	72.00
PF 25 XL1-3200	3,200	M3(1Bm)	1/1	11.3 × 31	4/1	84.9	5,220.00	P00328-C2	1 (34)	72.00
PF 16S2-3200		M5(2m)	2/1	9 × 27	4/1	82.6	5,888.00	P00322-C2	1 (34)	118.00
PF 40L1-3200		M5(2m)	1/1	13 × 36	4/1	122.3	7,199.00	P00324-C2	1 (34)	153.00
PF 25S2-4000	4,000	M6(3m)	2/1	11.3 × 31	4/1	91.9	7,065.00	P00402-C2	1 (55)	144.00
PF 40L1-4000		M3(1Bm)	1/1	13 × 36	4/1	126.1	7,543.00	P00403-C2	1 (55)	153.00
PF 25S2-5000	5,000	M5(2m)	2/1	11.3 × 31	4/1	98.7	7,234.00	P00502-C2	1 (55)	144.00
PF 63L1-5000		M5(2m)	1/1	16 × 45	4/1	176.2	10,200.00	P00503-C2	1 (55)	414.00
PF 32S2-6300	6,300	M5(2m)	2/1	13 × 36	4/1	142.9	10,453.00	P00632-C2	1 (85)	306.00
PF 40S2-8000	8,000	M3(1Bm)	2/1	13 × 36	3/0.75	133.6	10,908.00	P00802-C2	1 (85)	306.00

Add. 1 m lift (chain only):

SINGLE FALL:

Chain price for 1 m chain.

MULTI FALL:

Chain price single fall × number of chain falls

Chain size mm	Price for 1 m EURO	Order No.
4 × 12	38.70	P90041-C2
5.2 × 15	41.90	P90051-C2
6 × 18	48.30	P90061-C2
7.2 × 21	50.40	P90071-C2
9 × 27	59.00	P90091-C2
11.3 × 31	72.00	P90111-C2
13 × 36	153.00	P90131-C2
16 × 45	207.00	P90161-C2



Push trolley
PC



Electric trolley
EC



Electric chain hoist
PEH

PUSH TROLLEY ...	Capacity kg	ISO (FEM)	Flange width mm	Max. flange thickness mm	Weight kg	Price EURO	Order No.
PC 12	1,200	M5(2m)	65 - 175	31	5.1	246.00	P80011-C2
PC 12		M5(2m)	176 - 250	28	5.7	393.00	P80012-C2
PC 22	2,200	M5(2m)	100 - 200	32	9.5	379.00	P80022-C2
PC 22		M5(2m)	201 - 300	29	10.2	543.00	P80023-C2
PC 34	3,400	M5(2m)	100/150* - 200	32	12.5	508.00	P80032-C2
PC 34		M5(2m)	201 - 300	27	13.6	715.00	P80033-C2
PC 55	5,500	M5(2m)	100/150* - 200	54	31.2	902.00	P80052-C2
PC 55		M5(2m)	201 - 300	54	32.7	970.00	P80053-C2
PC 85	8,500	M5(2m)	150/175* - 300	53	43.1	1,217.00	P80083-C2
PC 85		M5(2m)	301 - 400	53	45.3	1,329.00	P80084-C2

ELECTRIC TROLLEY ...	Capacity kg	ISO (FEM)	Flange width mm	Travel speed m/min	Weight kg	Price EURO	Order No.
EC 12	1,200	M5(2m)	65 - 175	20/5	11.8	1,342.00	P81011-C2
EC 12		M5(2m)	176 - 250	20/5	12.5	1,491.00	P81012-C2
EC 22	2,200	M5(2m)	100 - 200	20/5	19.5	1,640.00	P81022-C2
EC 22		M5(2m)	201 - 300	20/5	20.2	1,809.00	P81023-C2
EC 34	3,400	M5(2m)	100/150* - 200	20/5	22.5	1,786.00	P81032-C2
EC 34		M5(2m)	201 - 300	20/5	23.6	1,999.00	P81033-C2
EC 55	5,500	M5(2m)	100/150* - 200	16/4	50.3	2,267.00	P81052-C2
EC 55		M5(2m)	201 - 300	16/4	51.7	2,343.00	P81053-C2
EC 85	8,500	M5(2m)	150/175* - 300	16/4	62.5	2,828.00	P81083-C2
EC 85		M5(2m)	301 - 400	16/4	64.3	2,950.00	P81084-C2

ELECTRIC CHAIN HOIST PEH WITH CONTACTOR CONTROL	Classification DIN EN 14492/ISO / cycles per day					Lifting speed m/min. 50 Hz	Weight with 3 m lift kg	Weight per meter of add. lift kg	Price with 3 m lift EURO	Order No. PEH with 3 m lift	Price for add. lift per meter* EURO	Order No. add. lift per meter
	A3/M3 15 (25 % ED)	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)							
PEHM250/1NF	–	320	250	200	–	8/2	17	0.34	1,852.00	H21520-C1	26.30	H21521-C1
PEHM250/1SF	–	–	125	100	–	16/4	17	0.34	1,935.00	H21522-C1	26.30	H21521-C1
PEH250/1NF	400	320	250	200	160	8/2	24	0.34	1,908.00	H21524-C1	26.30	H21521-C1
PEH250/1SF	–	160	125	100	–	16/4	24	0.34	2,042.00	H21526-C1	26.30	H21521-C1
PEH250/1N	400	320	250	200	160	8	24	0.34	1,885.00	H21528-C1	26.30	H21521-C1
PEH250/2NF	–	630	500	400	320	4/1	25	0.68	2,036.00	H21534-C1	52.40	H21535-C1
PEH250/2N	–	630	500	400	320	4	25	0.68	2,058.00	H21536-C1	52.40	H21535-C1
PEH500/1NF	800	630	500	400	320	8/2	26	0.69	2,085.00	H21542-C1	36.90	H21543-C1
PEH500/1SF	–	320	250	200	160	16/4	26	0.69	2,163.00	H21544-C1	36.90	H21543-C1
PEH500/1N	800	630	500	400	320	8	26	0.69	2,158.00	H21546-C1	36.90	H21543-C1
PEH500/2NF	–	1,250	1,000	800	630	4/1	28	1.38	2,253.00	H21552-C1	73.80	H21553-C1
PEH500/2N	–	1,250	1,000	800	630	4	28	1.38	2,367.00	H21554-C1	73.80	H21553-C1
PEH1000/1NF	1,600	1,250	1,000	800	630	8/2	58	1.37	2,866.00	H21600-C1	40.90	H21609-C1
PEH1000/1SF	–	630	500	–	–	16/4	58	1.37	3,039.00	H21601-C1	40.90	H21609-C1
PEH1000/1N	1,600	1,250	1,000	800	630	8	57	1.37	2,967.00	H21602-C1	40.90	H21609-C1
PEH1000/1NL	1,600	1,250	1,000	800	630	4	57	1.37	2,908.00	H21603-C1	40.90	H21609-C1
PEH1000/2NF	–	2,500	2,000	1,600	1,250	4/1	62	2.74	3,211.00	H21604-C1	81.50	H21610-C1
PEH1000/2N	–	2,500	2,000	1,600	1,250	4	61	2.74	3,312.00	H21605-C1	81.50	H21610-C1
PEH1000/2NL	–	2,500	2,000	1,600	1,250	2	61	2.74	3,256.00	H21606-C1	81.50	H21610-C1
PEH1600/1NF	2,500	2,000	1,600	–	–	8/2	93	2.22	4,615.00	H21670-C1	63.50	H21611-C1
PEH1600/1SF	–	1,000	800	–	–	16/4	93	2.22	4,669.00	H21671-C1	63.50	H21611-C1
PEH1600/1NL	2,500	2,000	1,600	1,250	1,000	4	88	2.22	4,392.00	H21672-C1	63.50	H21611-C1
PEH1600/2NF	5,000	4,000	3,200	–	–	4/1	102	4.44	5,181.00	H21673-C1	128.00	H21612-C1
PEH1600/2NL	5,000	4,000	3,200	2,500	2,000	2	97	4.44	4,958.00	H21674-C1	128.00	H21612-C1
PEH2500/1NF	–	–	2,500	2,000	–	8/2	100	3.53	5,111.00	H21675-C1	81.30	H21613-C1
PEH2500/1SF	–	–	1,250	1,000	–	16/4	100	3.53	5,168.00	H21676-C1	81.30	H21613-C1
PEH2500/1NL	–	–	2,500	2,000	–	4	95	3.53	4,888.00	H21677-C1	81.30	H21613-C1
PEH2500/1BF	4,000	3,200	–	–	–	6.4/1.6	100	3.53	5,168.00	H21678-C1	81.30	H21613-C1
PEH2500/1BL	4,000	3,200	–	–	–	3.2	95	3.53	4,946.00	H21679-C1	81.30	H21613-C1
PEH2500/2NF	–	–	5,000	4,000	–	4/1	117	7.06	5,957.00	H21680-C1	167.00	H21614-C1
PEH2500/2NL	–	–	5,000	4,000	–	2	112	7.06	5,736.00	H21681-C1	167.00	H21614-C1
PEH2500/2BF	–	6,300	–	–	–	3.2/0.8	117	7.06	6,014.00	H21682-C1	167.00	H21614-C1
PEH2500/2BL	–	6,300	–	–	–	1.6	112	7.06	5,792.00	H21683-C1	167.00	H21614-C1

* Load chain

PRO-LIFT SOLUTIONS



Push troll GHF/PHF



Electric trolley PMF



Chain box for PEH

ELECTRIC CHAIN HOIST PEH 1-PHASE	Classification DIN EN 14492/ISO / cycles per day					Lifting speed m/min. 50 Hz	Weight with 3 m lift kg	Weight per meter of add. lift kg	Price with 3 m lift EURO	Order No. PEH with 3 m lift	Price for add. lift per meter* EURO	Order No. add. lift per meter
	A3/M3 15 (25 % ED)	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A5/M5 60 (40 % ED)	A5/M5 60 (40 % ED)							
PEH250/1N 1Ph	-	-	250	200	160	8	22	0.34	2,110.00	H21530-C1	26.30	H21521-C1
PEH250/1NL 1Ph	-	-	250	200	160	4	22	0.34	2,173.00	H21532-C1	26.30	H21521-C1
PEH250/2N 1Ph	-	-	500	400	320	4	22	0.68	2,235.00	H21538-C1	52.40	H21535-C1
PEH250/2NL 1Ph	-	-	500	400	320	2	22	0.68	2,353.00	H21540-C1	52.40	H21535-C1
PEH500/1N 1Ph	-	-	250	200	160	8	23	0.69	2,419.00	H21548-C1	36.90	H21543-C1
PEH500/1NL 1Ph	-	-	500	400	320	4	23	0.69	2,375.00	H21550-C1	36.90	H21543-C1
PEH500/2N 1Ph	-	-	500	400	320	4	23	1.38	2,627.00	H21556-C1	73.80	H21553-C1
PEH500/2NL 1Ph	-	-	1,000	800	630	2	23	1.38	2,585.00	H21558-C1	73.80	H21553-C1
PEH1000/1N 1Ph	-	-	500	400	-	8	48	1.37	3,561.00	H21685-C1	40.90	H21609-C1
PEH1000/1NL 1Ph	-	-	1,000	800	630	4	48	1.37	3,540.00	H21686-C1	40.90	H21609-C1
PEH1000/2N 1Ph	-	-	1,000	800	-	4	48	2.74	3,973.00	H21687-C1	81.50	H21610-C1
PEH1000/2NL 1Ph	-	-	2,000	1,600	1,250	2	48	2.74	3,955.00	H21688-C1	81.50	H21610-C1

* Load chain

PUSH TROLLEY GHF/ PHF / ELECTRIC CHAIN HOIST PMF	Classification DIN EN 14492/ISO / cycles per day						Travel speed m/min. 50 Hz	Weight kg	Flange width mm	Price EURO	Order No.	Larger flange width (mm) Price | EURO	Order No.*
	A3/M3 15 (25 % ED)	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)							
GHF 500K**	500	500	500	400	320	–	–	2.5	50 - 99	136.00	H20729-C1	100 - 149 | 84.90	H20735-C1
PHF 1250	–	1,250	1,000	800	630	500	–	10	70 - 140	296.00	H20800-C1	70 - 240 | 92.40	H20745-C1
PHF 2500	–	2,500	2,000	1,600	1,250	1,000	–	19	88 - 200	445.00	H20801-C1	88 - 300 | 95.60	H20746-C1
PHF 5000	–	–	5,000	4,000	3,200	2,500	–	32	91 - 300	917.00	H20802-C1	-	-
PHF 6300	–	6,300	5,000	4,000	3,200	2,500	–	47	91 - 300	1,117.00	H20803-C1	-	-
PMF1250/NF	–	1,250	1,000	800	6.30	500	12/4	30	70 - 140	1,710.00	H20804-C1	70 - 240 | 92.40	H20745-C1
PMF1250/SF	–	1,250	1,000	800	6.30	500	24/6	30	70 - 140	1,802.00	H20805-C1	70 - 240 | 92.40	H20745-C1
PMF1250/N	–	1,250	1,000	800	6.30	500	12	30	70 - 140	1,677.00	H20806-C1	70 - 240 | 92.40	H20745-C1
PMF 1250/N 1Ph	–	1,000	800	630	500		12	30	70 - 140	1,647.00	H20807-C1	70 - 240 | 92.40	H20745-C1
PMF2500/NF	–	2,500	2,000	1,600	1,250	1,000	12/4	38	88 - 200	1,860.00	H20809-C1	88 - 300 | 95.60	H20746-C1
PMF2500/SF	–	2,500	2,000	1,600	1,250	1,000	24/6	38	88 - 200	1,945.00	H20810-C1	88 - 300 | 95.60	H20746-C1
PMF2500/N	–	2,500	2,000	1,600	1,250	1,000	12	38	88 - 200	1,819.00	H20811-C1	88 - 300 | 95.60	H20746-C1
PMF 2500/N 1Ph	–	2,000	1,600	1,250	1,000		12	38	88 - 200	1,869.00	H20812-C1	88 - 300 | 95.60	H20746-C1
PMF4000/NF	–	4,000	3,200	2,500	2,000	1,600	12/4	55	91 - 300	2,226.00	H20814-C1	-	-
PMF4000/SF	–	3,200	2,500	2,000	1,600	1,250	24/6	55	91 - 300	2,109.00	H20815-C1	-	-
PMF5000/NF	–	5,000	4,000	3,200	–		12/4	63	91 - 300	3,208.00	H20816-C1	-	-
PMF5000/SF	–	5,000	4,000	3,200	2,500	–	24/6	63	91 - 300	3,097.00	H20817-C1	-	-
PMF6300/NF	–	6,300	5,000	4,000	3,200	–	12/4	78	91 - 300	3,272.00	H20818-C1	-	-
PMF6300/SF	–	6,300	5,000	4,000	3,200	–	24/6	78	91 - 300	3,301.00	H20819-C1	-	-

Options:	Price / EURO	Order No.
Control cable 10 × 0.75 mm² with internal strain relief / assembly for longer control cable per meter	14.60	H21633-C1
Wiring of electric chain hoists with trolley	253.00	H20725-

* Bolt sets without trolley ** Nur in Verbindung mit PEH 250/500

CHAIN BOX	Chain boxgröße (Bitte Hinweis unten beachten!)	Material	Price EURO	Order No.
PEHM 250	up to 8 m chain	Plastic	62.20	H21640-C1
	up to 18 m chain	Textile	204.00	H21642-C1
	up to 32 m chain	Textile	226.00	H21643-C1
PEH 250/500**	up to 8/6 m chain	Plastic	77.90	H21647-C1
	up to 24/12 m chain	Plastic	81.50	H21648-C1
	up to 40/20 m chain	Textile	203.00	H21650-C1
	up to 60/30 m chain	Textile	209.00	H21651-C1
PEH 1000**	up to 6 m chain	Plastic	80.20	H21655-C1
	up to 10 m chain	Textile	123.00	H21656-C1
	up to 20 m chain	Textile	130.00	H21657-C1
	up to 30 m chain	Textile	136.00	H21658-C1
	up to 50 m chain	Textile	144.00	H21659-C1
	up to 55 m chain	Textile	151.00	H21660-C1
PEH 1600/2500**	up to 10/6 m chain	Textile	129.00	H21661-C1
	up to 16/12 m chain	Textile	154.00	H21662-C1
	up to 32/26 m chain	Textile	156.00	H21663-C1
	up to 35/28 m chain	Textile	168.00	H21664-C1

*Only in conjunction with electric chain hoist/trolley. ** IMPORTANT: In the case of 2-fall chain hoists, the chain length needed is doubled in relation to the required lifting height. There must then be a larger chain box size selected. For example: PEH 250/2NF, needed lifting height: 5 m, 2 x 5 m chain = 10 m total chain length. Chain box needed: H21648.

PRO-LIFT SOLUTIONS



Control switch 2-button



Accessories for PEH



Electric chain hoist Teleskophandy PEH-HT



Electric chain hoist PEH-KH-Lift

2-BUTTON CONTROL SWITCH WITH EMERGENCY STOP FOR SOLO HOIST, CONTROL CABLE 5 X 0.75 MM², WITH EXTERNAL STRAIN RELIEF | STANDARD LENGTHS	Price EURO	Order No.
2-button control switch with emergency stop and 1.8 meter control cable (3 m lift)	130.00	H21624-C1
2-button control switch with emergency stop and 2.8 meter control cable (4 m lift)	149.00	H21625-C1
2-button control switch with emergency stop and 3.8 meter control cable (5 m lift)	143.00	H21626-C1
2-button control switch with emergency stop and 4.8 meter control cable (6 m lift)	153.00	H21627-C1
2-button control switch with emergency stop and 5.8 meter control cable (7 m lift)	160.00	H21628-C1
2-button control switch with emergency stop and 6.8 meter control cable (8 m lift)	163.00	H21629-C1
2-button control switch with emergency stop and 8.8 meter control cable (10 m lift)	176.00	H21630-C1
2-button control switch with emergency stop and confection	123.00	H21631-C1
Cable assembly for longer control cable, Price/m	12.30	H21632-C1

ADDITIONAL ACCESSORIES	Price | EURO	Order No.
Thermal motor protection / Klixon 140°C	211.00	H20073-C1
Special motor voltage	262.00	H20076-C1
Special control voltage	215.00	H20078-C1
CEE-plug with 5m connection cable	146.00	H20080-C1
Schuko plug with 5 m cable	149.00	H20081-C1
Counter of operation hours	157.00	H20553-C1
Remote control solo train PEH 250/500	1,848.00	H21692-C1
Remote control solo train PEH 1000	1,878.00	H21724-C1
Remote control solo train PEH 1600/2500	2,000.00	H21725-C1
Remote control with electric trolley	2,124.00	H21726-C1
Limit switches for electric motor trolley	567.00	H20559-C1
Rain cover PEH 250/500	218.00	H21728-C1
Rain cover PEH 1000	240.00	H21729-C1
CSA/UL Version	188.00	H20563-C1
Gear grease suitable for foodstuffs	36.10	H21702-C1
Surcharge for unloading	290.00	H20726-C1
Wear plate PEH 250/500 for UP-SIDE-DOWN	35.20	H21714-C1
Wear plate PEH 1000 for UP-SIDE-DOWN	79.60	H21715-C1
Wear plate PEH 1600 for UP-SIDE-DOWN	222.00	H21716-C1
Wear plate PEH 2500 for UP-SIDE-DOWN	281.00	H21717-C1
Safety load hook (instead of standard load hook) PEHM 250/PEH 250	118.00	H21705-C1
Safety load hook (instead of standard load hook) PEH 500	132.00	H21706-C1
Safety load hook (instead of standard load hook) PEH 1000	218.00	H21707-C1
Safety load hook (instead of standard load hook) PEH 1600	198.00	H21708-C1
Safety load hook (instead of standard load hook) PEH 2500	198.00	H21709-C1
Hook suspension PEHM 250	118.00	H21620-C1
Hook suspension PEH 250 / 500	86.80	H21621-C1
Hook suspension PEH 1000	162.00	H21622-C1
Hook suspension PEH 1600	212.00	H21637-C1
Hook suspension PEH 2500	632.00	H21638-C1
Gear limit switch with 2 additional emergency stop switches	168.00	H21694-C1
Convex steel wheels for PHF/PMF 1250	539.00	H20825-C1
Convex steel wheels for PHF/PMF 2500	542.00	H20826-C1
Convex steel wheels for PHF/PMF 5000	540.00	H20827-C1
Convex steel wheels for PHF/PMF 6000	738.00	H20828-C1

ELECTRIC CHAIN HOIST TELESKOPHANDY PEH-HT	Classification DIN EN 14492/ISO / cycles per day					Lifting speed m/min.	Weight with 2 m lift kg	Price with 2 m lift EURO	Order No.
	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)				
PEH-HT 500/NF	250	200	160	–	–	8/2	52	on request	H21590-C1
PEH-HT 500/SF	250	200	160	–	–	16/4	52	on request	H21591-C1
PEH-HT 500/NL FU	–	–	250	200	160	1.2–6.9	53	on request	H21592-C1

ELECTRIC CHAIN HOIST PEH-KH-LIFT	Classification DIN EN 14492/ISO / cycles per day							Lifting speed m/min.	Weight with 3 m lift kg	Price with 3 m lift EURO	Order No.
	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A6/M6 120 (50 % ED)	A6/M6 120 (50 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)				
PEH-KH Lift 250/1NF3	250	200	160	125	100	-	-	8/2	19	2,795.00	H20680-C1
PEH-KH Lift 250/1SF3	125	100	80	-	-	-	-	16/4	19	2,854.00	H20681-C1
PEH-KH Lift 500/1NF4	500	400	400	320	-	320	250	8/2	25	2,832.00	H20682-C1
PEH-KH Lift 500/1SF4	250	200	160	125	-	160	125	16/4	25	3,000.00	H20683-C1

PRO-LIFT SOLUTIONS



Electric chain hoist PEH-R



Push troll PHFR



Electric troll PMFR



Electric chain hoist PEHS - synchronised



Electric chain hoist PEHK - compact design

ELECTRIC CHAIN HOIST PEH-R FOR FOOD INDUSTRY	Classification DIN EN 14492/ISO / cycles per day		Lifting speed m/min.		Number of chain falls	Price with 3 m lift EURO	Order No.	Price for add. lift per meter EURO	Order No.
	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	main lift	fine lift					
PEH-R 500/1N	320	250	8	-	1	2,809.00	H21570-C1	44.40	H21582-C1
PEH-R 500/1NF	320	250	8	2	1	2,855.00	H21571-C1	44.40	H21582-C1
PEH-R 500/2N	630	500	4	-	2	3,516.00	H21572-C1	97.40	H21583-C1
PEH-R 500/2NF	630	500	4	1	2	3,564.00	H21573-C1	97.40	H21583-C1
PEH-R 500/1N 1Ph	-	250	8	-	1	3,024.00	H21574-C1	44.40	H21582-C1
PEH-R 500/1NL 1Ph	320	250	4	-	1	2,979.00	H21575-C1	44.40	H21582-C1
PEH-R 500/2N 1Ph	-	500	4	-	2	3,731.00	H21576-C1	97.40	H21583-C1
PEH-R 500/2NL 1Ph	630	500	2	-	2	3,688.00	H21577-C1	97.40	H21583-C1
PEH-R 1000/1N	630	500	8	-	1	3,939.00	H21578-C1	76.70	H21584-C1
PEH-R 1000/1NF	630	500	8	2	1	4,009.00	H21579-C1	76.70	H21584-C1
PEH-R 1000/2N	1,250	1,000	4	-	2	5,600.00	H21580-C1	154.00	H21585-C1
PEH-R 1000/2NF	1,250	1,000	4	1	2	5,644.00	H21581-C1	154.00	H21585-C1

PUSH TROLLEY PHFR	Classification DIN EN 14492/ISO / cycles per day					Weight kg	Flange width mm	Price EURO	Order No.	Larger flange width mm	Price EURO	Order No.
	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)							
PHFR 1250	630	500	400	320	250	11	70 - 140	1,093.00	H21400-C1	70 - 240	35.60	H21410-C1
PHFR 2500	1,250	1,000	800	630	500	20	88 - 200	1,585.00	H21401-C1	88 - 300	85.20	H21411-C1

*Bolt sets without trolley

ELECTRIC TROLLEY PMFR	Classification DIN EN 14492/ISO / cycles per day					Travel speed m/min. 50 Hz	Motor power kW	Weight kg	Flange width mm	Price EURO	Order No.	Gr. Flange width mm	Price EURO	Order No.*
	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)									
PMFR 1250/NF	630	500	400	320	250	12/4	0.15/0,045	30	70 - 140	2,679.00	H21402-C1	70 - 240	35.60	H21410-C1
PMFR 1250/SF	630	500	400	320	250	24/6	0.3/0,075	30	70 - 140	2,799.00	H21403-C1	70 - 240	35.60	H21410-C1
PMFR 1250/N	630	500	400	320	250	12	0.25	30	70 - 140	2,537.00	H21404-C1	70 - 240	35.60	H21410-C1
PMFR 1250/N 1Ph	630	500	400	320	250	12	0.25	30	70 - 140	2,601.00	H21405-C1	70 - 240	35.60	H21410-C1
PMFR 2500/NF	1,250	1,000	800	630	500	12/4	0.15/0,045	38	88 - 200	3,101.00	H21406-C1	88 - 300	85.20	H21411-C1
PMFR 2500/SF	1,250	1,000	800	630	500	24/6	0.3/0,075	38	88 - 200	3,222.00	H21407-C1	88 - 300	85.20	H21411-C1
PMFR 2500/N	1,250	1,000	800	630	500	12	0.25	38	88 - 200	2,959.00	H21408-C1	88 - 300	85.20	H21411-C1
PMFR 2500/N 1Ph	1,250	1,000	800	630	500	12	0.25	38	88 - 200	3,023.00	H21409-C1	88 - 300	85.20	H21411-C1

* Bolt sets without trolley

ELECTRIC CHAIN HOIST PEHK COMPACT DESIGN	Classification DIN EN 14492/ISO / cycles per day				Lifting speed m/min. | 50 Hz	Chain size mm	3 × 400 V | 50 Hz A	Weight kg
	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)				
PEHK 500/1NF	500	400	320	250	8/2	5.25 × 15	2.8/1.7	45
PEHK 500/1SF	250	200	160	125	16/4	5.25 × 15	2.8/1.7	45
PEHK 500/1N	500	400	320	250	8	5.25 × 15	2.8	45
PEHK 500/2NF	1,000	800	630	500	8/2	5.25 × 15	2.8/1.7	47
PEHK 500/2N	1,000	800	630	500	8	5.25 × 15	2.8	47
PEHK 1000/1NF	1,000	800	630	500	8/2	7.45 × 23	5.7/4.1	100
PEHK 1000/1SF	500	400	-	-	16/4	7.45 × 23	5.7/4.1	100
PEHK 1000/1N	1,000	800	630	500	8	7.45 × 23	6.5	100
PEHK 1000/2NF	2,000	1,600	1,250	1,000	4/1	7.45 × 23	5.7/4.1	104
PEHK 1000/2N	2,000	1,600	1,250	1,000	4	7.45 × 23	6.5	104

Price on request.

ELECTRIC CHAIN HOIST PEHS - SYNCHRONIZED	Classification DIN EN 14492/ISO / cycles per day					Lifting speed m/min. | 50 Hz	Chain size mm	3 × 400 V | 50 Hz A	Weight with 3 m lift kg
	A4/M4 30 (30 % ED)	A5/M5 60 (40 % ED)	A6/M6 120 (50 % ED)	A7/M7 240 (60 % ED)	A7/M7 240 (60 % ED)				
PEHS 500/1NF	2 × 630	2 × 500	2 × 400	2 × 320	2 × 250	8/2	5.25 × 15	2 × 2.8/1.7	50
PEHS 500/1SF	2 × 320	2 × 250	2 × 200	2 × 160	2 × 125	16/4	5.25 × 15	2 × 2.8/1.7	50
PEHS 500/2NF	2× 1,250	2 × 1,000	2 × 800	-	-	4/1	5.25 × 15	2 × 2.8/1.7	54
PEHS 1000/1NF	2 × 1,250	2 × 1,000	2 × 800	2 × 630	2 × 500	8/2	7.45 × 23	2 × 5.7/4.1	132
PEHS 1000/1SF	2 × 630	2 × 500	2 × 400	-	-	16/4	7.45 × 23	2 ×5.7/4.1	132
PEHS 1000/2NF	2 × 2,500	2 × 2,000	2 × 1,600	2 × 1,250	2 × 1,000	4/1	7.45 × 23	2 × 5.7/4.1	141

Price on request.

Electric chain hoist MONTI



Accessories







Electric chain hoist BW



ELECTRIC CHAIN HOIST MONTI ...		240	480
Max. capacity	kg	240	480
Motor power	W	600	600
Lifting speed	m/min	0 - 3.4/12.8	0 - 1.6/6.3
Standard lifting height	m	3	3
Number of chain falls		1	2
Net weight	kg	16.5	19.4
Price incl. 3 m lift	EURO	2,041.00	2,244.00
	Order No.	H20780-C1	H20781-C1
Price for additional lift/m	EURO	30.70	61.30
	Order No.	H20782-C1	H20783-C1
Price for 3 m control cable extension package	EURO	144.00	144.00
	Order No.	H20784-C1	H20784-C1
Price for 6 m control cable extension package	EURO	213.00	213.00
	Order No.	H20785-C1	H20785-C1
Price for 9 m control cable extension package	EURO	283.00	283.00
	Order No.	H20786-C1	H20786-C1
Price for Chain box (MONTI 240: bis 6 m lift / MONTI 480: bis 3 m lift)	EURO	71.60	71.60
	Order No.	H20794-C1	H20794-C1
Price for Chain box (MONTI 240: 6 - 12 m lift / MONTI 480: 3 - 6 m lift)	EURO	76.30	76.30
	Order No.	H20795-C1	H20795-C1
Price for Chain box (MONTI 240: 12 - 18 m lift / MONTI 480: 6 - 9 m lift)	EURO	168.00	168.00
	Order No.	H20796-C1	H20796-C1
Price for Chain box (MONTI 240: 18 - 24 m lift / MONTI 480: 9 - 12 m lift)	EURO	170.00	170.00
	Order No.	H20797-C1	H20797-C1
Price for Chain box (MONTI 240: 24 - 30 m lift / MONTI 480: 12 - 15 m lift)	EURO	174.00	174.00
	Order No.	H20798-C1	H20798-C1
Price for Chain box (MONTI 240: 30 - 36 m lift / MONTI 480: 15 - 18 m lift)	EURO	199.00	199.00
	Order No.	H20799-C1	H20799-C1


ACCESSORIES ELECTRIC CHAIN HOIST	Price EURO	Order No.
Trolley buffer P18-25 (Beam width 100 - 160 mm) (2 pieces)	139.00	H20400-C1
Trolley buffer P20-36 (Beam width 150 - 300 mm) (2 pieces)	144.00	H20401-C1
Trolley buffer P30-63 (Beam width 300 - 550 mm) (2 pieces)	148.00	H20402-C1
Information sign („Hand signals for the banksman")	9.00	H20570-C1
Information sign („Never stand underneath suspended loads!")	9.00	H20571-C1
Information sign („Warning of suspended load")	9.00	H20572-C1
Information sign (Operating specifications for cranes)	9.00	H20574-C1
Information sign (KG load-bearing panel)	9.80	H20573-C1
Information sign (Mains power isolator switch for crane)	9.00	H20575-C1
Chain oil for electric chain hoist chains (100 ml-bottle)	11.70	H20567-C1
Chain and rope spray (400 ml-spray can)	12.90	H20565-C1
Power supply through plastic conductor rail (basic version KBH in 8 m length including screw bracket EHK 600)	on request	H20583-C1
Price per meter of KBH extension	on request	H20584-C1
Carrier MGF	on request	H20585-C1
Power supply with C-rail complete (basic version 2 m track length)	632.00	H20580-C1
Price per meter of extension	99.50	H20581-C1
Mains disconnector up to 25 Amp.	74.90	H20582-C1

ELECTRIC ROPE HOIST BW ...		80	160	230	300
Capacity in all rope layers	kg	80	160	230	300
Rope lifting speed* 1st rope layer	m/min	18	15	9	9
Rope lifting speed* top layer	m/min	30	22	14	13
Motor data	230 V	0.8 kW / 4 A / 25 % ED	1.2 kW / 6 A / 25 % ED	1.3 kW / 6.5 A / 25 % ED	1.5 kW / 7.5 A / 25 % ED
Lifting height (rope length)	m	23	30	24	24
Rope diameter	mm	4	5	5	5
Weight of complete hoist	kg	18	23	24	25
Price	EURO	1,001.00	1,194.00	1,438.00	1,701.00
	Order No.	H20619-B	H20621-B	H20620-B	H20622-B
Price Control cable extension including plugs	EURO	218.00	218.00	218.00	218.00
	Order No.	H20603-B	H20603-B	H20603-B	H20603-B

PRO-LIFT SOLUTIONS



Swivel jib arm SA



Wire ropes



SIKA swivel load hook, SIKA hook with eye



Stainless steel swivel load hook, Stainless steel hook with eye

SWIVEL JIB ARM SA	Max. capacity (kg)	Max. reach (mm)	Price swivel jib arm (EURO)	Order No.	Price adapter (galvanized) for electric rope hoist (EURO)	Order No.
SA-230	230	1,000	178.00	H20602-B	-	-
SA-250	250	1,100	167.00	H20607-B	95.80	H20630-B
SA-600	600	750	210.00	H20608-B	67.00	H20631-B

WIRE ROPES Rope diameter mm	TYPE 6 x 19 + IWRC, 6 x 36 + IWRC (as of 10 mm) 1960 N/mm² galvanised, non-rotation resistant			TYPE 17 x 7 + IWRC, 1960 N/mm² galvanised, rotation resistant			plus assembly of the rope on reel if necessary / one side pointed, other side with thimble	
	Min. breaking force (kN)	Price per meter (EURO)	Order No.	Min. breaking force (kN)	Price per meter (EURO)	Order No.	Price (EURO)	Order No.
4	10.4	3.30	C04619-A	10.3	3.60	C04177-A	21.30	C04001-A
5	16.2	3.40	C05619-A	16.1	4.60	C05177-A	22.50	C05001-A
6	23.4	3.60	C06619-A	23.1	4.80	C06177-A	25.70	C06001-A
7	31.8	4.40	C07619-A	31.5	5.30	C07177-A	28.50	C07001-A
8	41.6	4.80	C08619-A	41.1	6.60	C08177-A	37.70	C08001-A
9	52.7	5.00	C09619-A	52.1	8.10	C09177-A	44.20	C09001-A
10	69.8	8.10	C10636-A	64.3	8.70	C10177-A	42.10	C10001-A
11	84.4	9.10	C11636-A	77.8	9.70	C11177-A	44.50	C11001-A
12	100.5	9.70	C12636-A	92.6	12.60	C12177-A	47.10	C12001-A
13	118	11.50	C13636-A	109	13.10	C13177-A	51.40	C13001-A
14	136.8	12.80	C14636-A	126	14.80	C14177-A	53.70	C14001-A
16	178.7	14.10	C16636-A	165	15.10	C16177-A	65.00	C16001-A
18	226.2	16.10	C18636-A	208	19.20	C18177-A	75.70	C18001-A
20	279.3	22.00	C20636-A	257	23.80	C20177-A	110.00	C20001-A
22	337.9	25.20	C22636-A	-	-	-	120.00	C22001-A
24	402.2	28.50	C24636-A	-	-	-	145.00	C24001-A
26	472	33.30	C26636-A	-	-	-	156.00	C26001-A
28	547.4	38.60	C28636-A	-	-	-	224.00	C28001-A

STAINLESS STEEL WIRE ROPES Rope diameter (mm)	TYPE 7 x 19, 1570 N/mm², stainless steel (V4A) non-rotation resistant			TYPE 18 x 7, 1570 N/mm², stainless steel (V4A) rotation resistant			plus assembly of the rope on reel if necessary / one side pointed, other side with thimble	
	Min. breaking force (kN)	Price per meter (EURO)	Order No.	Min. breaking force (kN)	Price per meter (EURO)	Order No.	Price (EURO)	Order No.
4	8.34	4.80	C04719-A	9	15.40	C04187-A	24.60	C04002-A
5	13	5.60	C05719-A	13	17.50	C05187-A	25.50	C05002-A
6	18.7	7.50	C06719-A	19	20.10	C06187-A	28.90	C06002-A
8	33.3	13.50	C08719-A	34	17.60	C08187-A	46.10	C08002-A
10	52.1	19.40	C10719-A	53	on request	C10187-A	47.10	C10002-A
12	75	26.10	C12719-A	77	26.90	C12187-A	51.40	C12002-A
14	102	42.40	C14719-A	107	33.90	C14187-A	69.00	C14002-A
16	133	45.50	C16719-A	135	45.50	C16187-A	88.20	C16002-A

Design: 6 × 19 + IWRC, 6 × 36 + IWRC: Robust winch rope with independent wire rope core, 17 × 7 + IWRC: High tensile lifting rope, twist-poor, 7 × 19, 18 × 7: Stainless Steel: Corrosion free rope from material 1,4401

SWIVEL LOAD HOOK, HOOK WITH EYE, STAINLESS STEEL SWIVEL LOAD HOOK, STAINLESS STEEL HOOK WITH EYE	Capacity (kg)	Weight (kg)	Price (EURO)	Order No.
SIKA swivel load hook WHS-1.12 (GK 8)	1,120	0.65	109.00	D00150-A
SIKA swivel load hook WHS-2.0 (GK 8)	2,000	0.95	128.00	D00151-A
SIKA swivel load hook WHS-3.15 (GK 8)	3,150	1.71	184.00	D00152-A
SIKA swivel load hook WHS-5.30 (GK 8)	5,300	2.97	268.00	D00153-A
SIKA swivel load hook WHS-8.00 (GK 8)	8,000	5.60	402.00	D00154-A
SIKA swivel load hook WHS-12.5 (GK 8)	12,500	9.50	659.00	D00155-A
SIKA hook with eye OHS-06 (GK 8)	1,120	0.6	36.40	D00160-A
SIKA hook with eye OHS-08 (GK 8)	2,000	1.0	46.20	D00161-A
SIKA hook with eye OHS-10 (GK 8)	3,150	1.5	50.80	D00162-A
SIKA hook with eye OHS-13 (GK 8)	5,300	3.5	97.10	D00163-A
SIKA hook with eye OHS-16 (GK 8)	8,000	5.5	167.00	D00164-A
SIKA hook with eye OHS-20 (GK 8)	12,500	7.6	256.00	D00165-A
Stainless steel swivel load hook WHN-05	500	0.3	168.00	D02151-A
Stainless steel swivel load hook WHN-1	1,000	1.0	278.00	D02152-A
Stainless steel swivel load hook WHN-2.4	2,400	1.4	1,149.00	D02153-A
Stainless steel swivel load hook WHN-3.8	3,850	2.3	1,269.00	D02154-A
Stainless steel swivel load hook WHN-5	5,000	3.8	1,957.00	D02155-A
Stainless steel hook with eye OHN-025	250	0.1	71.60	D02160-A
Stainless steel hook with eye OHN-045	450	0.2	113.00	D02161-A
Stainless steel hook with eye OHN-1.5	1,500	0.8	379.00	D02162-A
Stainless steel hook with eye OHN-2.4	2,400	1.4	535.00	D02163-A
Stainless steel hook with eye OHN-3.8	3,850	3.0	700.00	D02164-A
Stainless steel hook with eye OHN-5	5,000	4.8	1,025.00	D02165-A

Rope winch accessories



Wire cable block, single-roll



Wire cable block, double-roll



Wire cable block, single-roll, hinged



Shakles Design A



Shakles Design B



Shakles Design C



Shakles Design D

Wire cable blocks

With rotatable load hook in accordance with DIN 15401, with hook clip.
PA/R = with polyamide roller(s) with slide bearing up to 150 mm external roller diameter
ST/R = with steel roller(s) with plain bearing
ST/K = with steel roller(s) with ball bearing

Load bearing capacity at hook kg	Roller outer Ø mm	Roller basic Ø mm	Max. wire rope Ø mm	Housing-width mm	Base width mm	Axis length mm	Installation length at hook mm	Weight approx. kg	Price EURO	Order No. PA/R	Price EURO	Order No. ST/R	Price EURO	Order No. ST/K
Wire cable block, single-roll														
500	100	80	7	130	25	55	385	3.5	399.00	D01500-A	420.00	D01508-A	527.00	D01516-A
1,000	125	105	9	150	30	55	430	4.5	459.00	D01501-A	554.00	D01509-A	640.00	D01517-A
2,000	150	125	11	165	33	65	500	7.5	582.00	D01502-A	675.00	D01510-A	817.00	D01518-A
3,000	175	145	12	210	41	82	640	15	-	-	832.00	D01511-A	1,090.00	D01519-A
3,000	200	170	15	210	41	82	640	15.5	-	-	933.00	D01512-A	1,175.00	D01520-A
5,000	225	185	16	265	45	85	740	24	-	-	1,139.00	D01513-A	1,484.00	D01521-A
5,000	250	210	18	265	45	85	740	25	-	-	1,259.00	D01514-A	1,609.00	D01522-A
8,000	310	260	23	325	52	110	890	45	-	-	1,853.00	D01515-A	2,330.00	D01523-A
Wire cable block, double-roll														
1,000	100	80	7	130	30	81	410	5	545.00	D01530-A	611.00	D01537-A	815.00	D01544-A
1,600	125	105	9	150	33	86	440	7	668.00	D01531-A	774.00	D01538-A	995.00	D01545-A
3,000	150	125	11	165	41	113	525	12	822.00	D01532-A	1,022.00	D01539-A	1,335.00	D01546-A
5,000	175	145	12	210	45	130	680	23	-	-	1,322.00	D01540-A	1,807.00	D01547-A
5,000	200	170	15	210	45	130	680	24	-	-	1,419.00	D01541-A	1,904.00	D01548-A
8,000	225	185	16	265	52	150	785	38.5	-	-	1,771.00	D01542-A	2,478.00	D01549-A
8,000	250	210	18	265	52	150	785	40.5	-	-	1,952.00	D01543-A	2,697.00	D01550-A
Wire cable block, single-roll, hinged														
500	100	80	7	130	25	55	350	3.5	479.00	D01560-A	-	-	941.00	D01576-A
1,000	125	105	9	150	30	61	390	4.5	545.00	D01561-A	-	-	954.00	D01577-A
2,000	150	125	11	165	33	73	435	7.5	766.00	D01562-A	-	-	998.00	D01578-A
3,000	175	145	12	210	41	90	580	15	-	-	1,003.00	D01571-A	1,263.00	D01579-A
3,000	200	170	15	210	41	90	580	15.5	-	-	1,093.00	D01572-A	1,357.00	D01580-A
5,000	225	185	16	265	45	105	700	24	-	-	1,386.00	D01573-A	1,718.00	D01581-A
5,000	250	210	18	265	45	105	700	25	-	-	1,562.00	D01574-A	1,917.00	D01582-A
8,000	310	260	23	325	52	120	810	41	-	-	2,345.00	D01575-A	2,779.00	D01583-A

Other sizes on request.

High-strength galvanised shackle


Capacity kg	Nominal size, inches	Bore (A) mm	Bolt Ø (B) mm	Price EURO	Order No. Design A	Price EURO	Order No. Design B	Price EURO	Order No. Design C	Price EURO	Order No. Design D
*330	3/16	9.65	6.35	7.40	D00278-A	-	-	9.50	D00312-A	-	-
500	1/4	11.9	7.87	7.70	D00279-A	11.00	D00296-A	9.50	D00313-A	11.00	D01191-A
750	5/16	13.5	9.65	7.70	D00280-A	8.60	D00297-A	9.90	D00314-A	11.30	D01192-A
1,000	3/8	16.8	11.2	8.00	D00281-A	9.00	D00298-A	11.00	D00315-A	15.00	D01193-A
1,500	7/16	19.1	12.7	8.20	D00282-A	9.30	D00299-A	11.30	D00316-A	16.90	D01194-A
2,000	1/2	20.6	16	8.20	D00283-A	9.50	D00300-A	11.70	D00317-A	18.90	D01195-A
3,250	5/8	26.9	19.1	13.50	D00284-A	12.20	D00301-A	18.70	D00318-A	23.40	D01196-A
4,750	3/4	31.8	22.4	18.70	D00285-A	18.30	D00302-A	25.60	D00319-A	35.30	D01197-A
6,500	7/8	36.6	25.4	28.10	D00286-A	28.30	D00303-A	36.10	D00320-A	35.90	D01198-A
8,500	1	42.9	28.7	36.10	D00287-A	36.30	D00304-A	46.40	D00321-A	61.10	D01199-A
9,500	1 1/8	46	31.8	51.00	D00288-A	51.30	D00305-A	61.40	D00322-A	64.70	D01200-A
12,000	1 1/4	51.5	35.1	65.50	D00289-A	68.40	D00306-A	87.80	D00323-A	98.40	D01201-A
13,500	1 3/8	57	38.1	87.10	D00290-A	92.10	D00307-A	121.00	D00324-A	128.00	D01202-A
17,000	1 1/2	60.5	41.4	115.00	D00291-A	120.00	D00308-A	152.00	D00325-A	176.00	D01203-A
25,000	1 3/4	73	51	222.00	D00292-A	307.00	D00309-A	259.00	D00326-A	325.00	D01204-A
35,000	2	82.5	57	403.00	D00293-A	535.00	D00310-A	462.00	D00327-A	547.00	D01205-A
55,000	2 1/2	105	70	945.00	D00294-A	982.00	D00311-A	1,001.00	D00328-A	1,387.00	D01206-A

* Only as eye bolt available.

PRO-LIFT SOLUTIONS



Electric rope winch PFW-C



Electric rope winch PFW

ELECTRIC ROPE WINCH PFW-C ...		250	500	1000	2000
Lifting capacity in 1st rope layer to max. hoisting-/pulling distance	kg/m	250/7	500/7	990/6	2000/5
Rope diameter	mm	5	6	8	12
Rope speed 1. layer	approx. m/min	8	8	8	8 (4)*
Motor power	kW	0.37	0.75	1.5	2.6 (1.5)*
PFW-C with 400 V	EURO	2,568.00	2,913.00	4,059.00	6,254.00
	Order No.	H62100-C	H62110-C	H62130-C	H62150-C
PFW-C with 230 V (*)	EURO	2,813.00	3,171.00	4,419.00	6,914.00
	Order No.	H62109-C	H62119-C	H62139-C	H62159-C
Options					
Protective drum cover	EURO	396.00	422.00	520.00	581.00
	Order No.	H62840-C	H62841-C	H62843-C	H62845-C
Operational limit switch	EURO	496.00	496.00	496.00	496.00
	Order No.	H62861-C	H62861-C	H62862-C	H62863-C
Drum pressure roller	EURO	423.00	423.00	467.00	512.00
	Order No.	H62850-C	H62851-C	H62853-C	H62855-C
Pulling rope not rotation-resistant with eye hook 8 mm (rope supplied loose as a coil)	EURO	89.10	99.90	117.00	185.00
	Order No.	C62101-C	C62111-C	C62131-C	C62151-C
Additional pulling rope per m	EURO	3.40	3.60	4.80	9.70
	Order No.	C05619-A	C06619-A	C08619-A	C12636-A
Hoisting rope rotation resistant with swivel hook 8 m (rope supplied loose as a coil)	EURO	191.00	208.00	243.00	
	Order No.	C62102-C	C62112-C	C62132-C	C62152-C
Additional hoisting rope per m	EURO	4.60	4.80	6.60	12.60
	Order No.	C05177-A	C06177-A	C08177-A	C12177-A

ELECTRIC ROPE WINCH PFW-1D ... (BASIC DESIGN)		250	500	750	1000	1500	2000	3000
Lifting capacity 1st layer	kg	250	500	750	1,000	1,500	2,000	3,000
Lifting capacity 5th layer	kg	160	320	480	640	950	1,270	1,920
Rope diameter	mm	5	6	7	8	10	12	14
Rope length 1st layer	m	11	11	11	10	10	9	9
Rope length 5th layer	m	75	75	75	75	75	75	75
Expansion every 100 mm extended drum 1st/5th layer	approx. m	4/25	4/25	4/25	4/25	4/25	4/25	4/25
Rope speed 1st layer	approx. m/min	8	8	8	8	8	8	8
Rope speed 5th layer	approx. m/min	12	12	12	12	12	12	12
Motor power	kW	0.37	0.75	1.1	1.5	2.1	2.6	4
Price PFW-1D with standard speed	EURO	1,862.00	2,291.00	2,834.00	3,534.00	4,461.00	5,731.00	7,496.00
	Order No.	H62101-C	H62111-C	H62121-C	H62131-C	H62141-C	H62151-C	H62161-C
Rope speed 1st layer	approx. m/min	4	4	4	4	4	4	4
Rope speed 5th layer	approx. m/min	6	6	6	6	6	6	6
Motor power	kW	0.18	0.37	0.55	0.75	1.1	1.5	2.2
Price PFW-1D with half speed	EURO	1,866.00	2,075.00	2,585.00	3,392.00	4,288.00	5,797.00	7,199.00
	Order No.	H62104-C	H62114-C	H62124-C	H62134-C	H62144-C	H62154-C	H62164-C
Rope speed 1st layer	approx. m/min	12	12	12	12	12	12	12
Rope speed 5th layer	approx. m/min	19	19	19	19	19	19	19
Motor power	kW	0.55	1.1	1.5	2.1	3.2	4	5.5
Price PFW-1D with fast speed	EURO	2,005.00	2,578.00	3,149.00	3,868.00	4,727.00	6,018.00	8,168.00
	Order No.	H62103-C	H62113-C	H62123-C	H62133-C	H62143-C	H62153-C	H62163-C
Options								
Grooved drum	EURO	216.00	216.00	257.00	328.00	328.00	328.00	371.00
	Order No.	H62800-C	H62801-C	H62802-C	H62803-C	H62804-C	H62805-C	H62806-C
Longer drum each 100 mm (up to 500 mm)	EURO	925.00	925.00	1,316.00	1,316.00	1,678.00	1,678.00	2,141.00
	Order No.	H62810-C	H62810-C	H62811-C	H62811-C	H62812-C	H62812-C	H62813-C
Second rope outflow	EURO	327.00	327.00	382.00	382.00	436.00	436.00	488.00
	Order No.	H62820-C	H62821-C	H62822-C	H62823-C	H62824-C	H62825-C	H62826-C
Manual free-wheeling coupling	EURO	-	1,381.00	1,422.00	1,463.00	1,523.00	1,618.00	1,821.00
	Order No.	-	H62831-C	H62832-C	H62833-C	H62834-C	H62835-C	H62836-C
Protective drum cover*	EURO	396.00	422.00	494.00	520.00	550.00	581.00	673.00
	Order No.	H62840-C	H62841-C	H62842-C	H62843-C	H62844-C	H62845-C	H62846-C
Drum pressure roller*	EURO	423.00	423.00	425.00	467.00	468.00	512.00	570.00
	Order No.	H62850-C	H62851-C	H62852-C	H62853-C	H62854-C	H62855-C	H62856-C
Limit switch	EURO	496.00	496.00	496.00	496.00	496.00	496.00	496.00
	Order No.	H62861-C	H62861-C	H62861-C	H62862-C	H62862-C	H62863-C	H62863-C
Limit switch equipped as operating limit switch	EURO	40.40	40.40	40.40	40.40	40.40	40.40	40.40
	Order No.	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C

Electric rope winch

Options	PFW-1D ...	250	500	750	1000	1500	2000	3000
Limit switch extended by four additional contacts	EURO	180.00	180.00	180.00	180.00	180.00	180.00	180.00
	Order No.	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C
Slack wire switch*	EURO	495.00	510.00	524.00	553.00	580.00	608.00	677.00
	Order No.	H62870-C	H62871-C	H62872-C	H62873-C	H62874-C	H62875-C	H62876-C
Manual brake release	EURO	on request	on request	on request	on request	on request	on request	on request
	Order No.	H62881-C	H62881-C	H62881-C	H62882-C	H62882-C	H62882-C	H62883-C
Manual brake release with crank	EURO	1,912.00	1,912.00	1,912.00	1,940.00	1,940.00	1,940.00	1,965.00
	Order No.	H62884-C	H62884-C	H62884-C	H62885-C	H62885-C	H62885-C	H62886-C
Protective paint per ISO12944 C4 (high)	EURO	554.00	554.00	623.00	623.00	694.00	694.00	835.00
	Order No.	H62891-C	H62891-C	H62892-C	H62892-C	H62893-C	H62893-C	H62894-C
Protective paint per ISO12944 C5 (very high / marine)	EURO	1,609.00	1,609.00	1,812.00	1,812.00	1,994.00	1,994.00	2,397.00
	Order No.	H62895-C	H62895-C	H62896-C	H62896-C	H62897-C	H62897-C	H62898-C

* Prices apply to standard drums 200 mm and 300 mm, +25% for special drum lengths


DOUBLE DIAMETER DRUM PFW-2D ...		250	500	750	1000	1500	2000	3000
Lifting capacity 1st layer	kg	125	250	375	500	750	1,000	1,500
Rope diameter	mm	5	6	7	8	10	12	14
Rope length 1st layer	m	20	20	20	20	19	18	17
Expansion every 100 mm extended drum 1st layer	approx. m	7	7	7	7	7	7	7
Rope speed 1th layer	approx. m/min	15	15	15	15	15	15	15
Motor power	kW	0.37	0.75	1.1	1.5	2.1	2.6	4
Price PFW-2D with standard speed	EURO	4,195.00	5,066.00	5,994.00	7,081.00	8,533.00	10,338.00	12,846.00
	Order No.	H62201-C	H62211-C	H62221-C	H62231-C	H62241-C	H62251-C	H62261-C
Rope speed 1th layer	approx. m/min	7	7	8	9	8	7	7
Motor power	kW	0.18	0.37	0.55	0.75	1.1	1.5	2.2
Price PFW-2D with half speed	EURO	4,090.00	4,987.00	5,935.00	6,895.00	8,366.00	10,162.00	12,597.00
	Order No.	H62204-C	H62214-C	H62224-C	H62234-C	H62244-C	H62254-C	H62264-C
Rope speed 1th layer	approx. m/min	22	22	22	22	22	22	22
Motor power	kW	0.55	1.1	1.5	2.1	3.2	4	5.5
Price PFW-2D with fast speed	EURO	4,349.00	5,231.00	6,174.00	7,618.00	9,067.00	10,872.00	13,785.00
	Order No.	H62203-C	H62213-C	H62223-C	H62233-C	H62243-C	H62253-C	H62263-C

ELECTRIC ROPE WINCH PFW - STAGES AND STUDIOS		250	500	750	1000	1500	2000	3000
Lifting capacity 1. layer	kg	100	200	300	400	630	900	1,200
Rope diameter	mm	5	6	7	8	10	12	14
Rope length 1. layer	m	19	19	19	19	18	17	16
Expansion every 100 mm extended drum 1st layer	approx. m	7	7	7	7	7	7	7
Rope speed 1. layer	approx. m/min	15	15	15	15	15	15	15
Motor power	kW	1.1	1.1	1.1	1.1	2.2	2.2	3.0
Price PFW - Bühnen und Studios (BGV-C1)	EURO	6,303.00	7,273.00	8,641.00	10,165.00	12,604.00	14,718.00	19,933.00
	Order No.	H62301-C	H62311-C	H62321-C	H62331-C	H62341-C	H62351-C	H62361-C

OPTIONS FOR ELECTRIC ROPE WINCH PFW – DOUBLE DIAMETER DRUM, STAGES AND STUDIOS								
Grooved drum	EURO	-	-	-	-	-	-	-
	Order No.	incl.	incl.	incl.	incl.	incl.	incl.	incl.
Longer drum (up to 500 mm)	EURO	650.00	650.00	899.00	899.00	1,200.00	1,200.00	1,602.00
	Order No.	H62814-C	H62814-C	H62815-C	H62815-C	H62816-C	H62816-C	H62817-C
Second rope outflow	EURO	327.00	327.00	382.00	382.00	436.00	436.00	488.00
	Order No.	H62820-C	H62821-C	H62822-C	H62823-C	H62824-C	H62825-C	H62826-C
Manual free-wheeling coupling (not for stages and studios)	EURO	-	1,381.00	1,422.00	1,463.00	1,523.00	1,618.00	1,821.00
	Order No.	-	H62831-C	H62832-C	H62833-C	H62834-C	H62835-C	H62836-C
Protective drum cover*	EURO	396.00	422.00	494.00	520.00	550.00	581.00	673.00
	Order No.	H62840-C	H62841-C	H62842-C	H62843-C	H62844-C	H62845-C	H62846-C
Drum pressure roller*	EURO	423.00	423.00	425.00	467.00	468.00	512.00	570.00
	Order No.	H62850-C	H62851-C	H62852-C	H62853-C	H62854-C	H62855-C	H62856-C
Limit switch	EURO	496.00	496.00	496.00	496.00	496.00	496.00	496.00
	Order No.	H62861-C	H62861-C	H62861-C	H62862-C	H62862-C	H62863-C	H62863-C
Limit switch equipped as operating limit switch	EURO	40.40	40.40	40.40	40.40	40.40	40.40	40.40
	Order No.	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C	H62865-C
Limit switch extended by four additional contacts	EURO	180.00	180.00	180.00	180.00	180.00	180.00	180.00
	Order No.	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C	H62866-C
Slack wire switch*	EURO	495.00	510.00	524.00	553.00	580.00	608.00	677.00
	Order No.	H62870-C	H62871-C	H62872-C	H62873-C	H62874-C	H62875-C	H62876-C
Manual brake release	EURO	on request	on request	on request	on request	on request	on request	on request
	Order No.	H62881-C	H62881-C	H62881-C	H62882-C	H62882-C	H62882-C	H62883-C
Manual brake release with crank	EURO	1,912.00	1,912.00	1,912.00	1,940.00	1,940.00	1,940.00	1,965.00
	Order No.	H62884-C	H62884-C	H62884-C	H62885-C	H62885-C	H62885-C	H62886-C
Protective paint per ISO12944 C4 (high)	EURO	554.00	554.00	623.00	623.00	694.00	694.00	835.00
	Order No.	H62891-C	H62891-C	H62892-C	H62892-C	H62893-C	H62893-C	H62894-C
Protective paint per ISO12944 C5 (very high / marine)	EURO	1,609.00	1,609.00	1,812.00	1,812.00	1,994.00	1,994.00	2,397.00
	Order No.	H62895-C	H62895-C	H62896-C	H62896-C	H62897-C	H62897-C	H62898-C

* Prices apply to standard drums 200 mm and 300 mm, +25% for special drum lengths

PRO-LIFT SOLUTIONS



Compact electric rope winch PORTY-II



Rope pulley block ULRB



Control engineering for PFW-E and PKW-E



Manual rope winch BHW

COMPACT ELECTRIC ROPE WINCH PORTY-II ...		500
Lifting capacity 1st layer	kg	710
Lifting capacity 7th layer	kg	385
Rope length 1st layer	m	7
Rope length 7th layer	m	80
Rope speed 1. layer	approx. m/min	8
Rope speed 7. layer	approx. m/min	15
Rope diameter	mm	6
Motor power	kW	1.5
DTR drum diameter	mm	80
Weight	kg	68
Price PORTY-II	EURO	3,158.00
	Order No.	H64110-C

ROPE PULLEY BLOCK ULRB ...		5-75	6-90	8-120	10-150	12-180	14-210	16-240	20-304
Capacity	kg	500	1,000	2,000	3,000	5,000	7,500	10,000	14,000
Rope force with 180° turn max.	kg	250	500	1,000	1,500	2,500	3,750	5,000	7,000
Weight approx.	kg	2	4	8	14	23	42	55	110
Price ULRB	EURO	338.00	359.00	412.00	581.00	972.00	1,266.00	1,637.00	2,016.00
	Order No.	H68051-C	H68061-C	H68081-C	H68101-C	H68121-C	H68141-C	H68161-C	H68201-C

BASIS-CONTROL FOR HOIST, TRAVERSING AND PULLING WINCHES UP TO 4 KW. ONLY FOR PFW-E AND PKW-E WINCHES.					
Motor power kW	Overload protection	Motor temperature monitoring	Mounted and wired to winch	Price EURO	Order No.
1 Ph. / 230 V / 50 Hz					
1.5				787.00	H69910-C
1.5	X			961.00	H69911-C
1.5		X		961.00	H69912-C
1.5	X	X		1,135.00	H69913-C
1.5			X	961.00	H69915-C
1.5	X		X	1,163.00	H69916-C
1.5		X	X	1,163.00	H69917-C
1.5	X	X	X	1,311.00	H69918-C
3 Ph. / 400 V / 50 Hz					
1.5				787.00	H69920-C
1.5	X			961.00	H69921-C
4.0		X		961.00	H69922-C
4.0	X	X		1,135.00	H69923-C
1.5			X	961.00	H69925-C
1.5	X		X	1,163.00	H69926-C
4.0		X	X	1,163.00	H69927-C
4.0	X	X	X	1,311.00	H69928-C

MANUAL ROPE WINCH BHW ...		1200	1800	2600
Max. pulling force bottom (1st) cable layer	daN	550 / 330*	820 / 660*	1,200 / 960*
Max. pulling force top (9th) cable layer	daN	200	300	475
Lever force	daN	15	22	19
Rope diameter(Construction 2,160 N/mm2)	mm	5	7	8
Standard rope length	m	20	20	18
Weight without rope	kg	3.7	7.7	10.1
Price BHW (without rope) zinc galvanized	EURO	174.00	252.00	319.00
	Order No.	H30024-F	H30026-F	H30028-F
Price BHW complete with rope and hook**	EURO	252.00	341.00	406.00
	Order No.	H30041-F	H30042-F	H30043-F
Price BHW (without rope) stainless steel version	EURO	400.00	613.00	668.00
	Order No.	H30290-F	H30291-F	H30292-F

Stainless steel version / **Standard rope length

PLANETA - Hebetechnik GmbH
Resser Straße 17 · 44653 Herne · Germany · Phone: +49 (0) 2325 9580 0 · Fax: +49 (0) 2325 77077
info@planeta-hebetechnik.de · www.planeta-hebetechnik.de

PRO-LIFT SOLUTIONS